

# INDEX OF AUTHORS

- Abelmann, W. H., 71  
 Abildskov, J. A., 728  
 Akerson, I. B., 271  
 Altman, G. E., 809  
 Angrist, A. A., 524
- Bailey, C. C., 829  
 Baldes, E. J., 641  
 Barnard, P. J., 343  
 Beckwith, R. R., 56  
 Beinfeld, W. H., 742  
 Berglund, E., 84  
 Berkson, J., 641  
 Best, M. M., 201  
 Blake, H. A., 824  
 Blount, S. G., Jr., 161  
 Bollman, J. L., 641  
 Bourgain, R., 680  
 Brown, H. B., 714  
 Buckley, J. J., 481  
 Buka, R., 71  
 Burch, G. E., 564, 728  
 Burchell, H. B., 574, 705, 801  
 Burnum, J. F., 362  
 Byers, S. O., 491
- Camara, A. A., 430  
 Case, R. B., 84  
 de la Chapelle, C. E., 747  
 Chessin, M., 742  
 Clifford, G. O., 653  
 Comroe, J. H., Jr., 81  
 Conn, H. L., Jr., 517  
 Cronvich, J. A., 728
- Derow, H. A., 114  
 Di Mauro, S., 271  
 Ditzel, J., 277  
 Dobkin, A. B., 481  
 Dontas, A. S., 887  
 DuBose, H. H., 374  
 Ducei, H., 685  
 Dumke, P. R., 81  
 Duncan, C. H., 201
- Edwards, J. E., 801  
 Edwards, W. L. J., 843  
 Eisenberg, S., 902  
 Ellis, E. J., 536  
 Ernstene, A. C., 766
- Fleischner, F. G., 71  
 Flock, E. V., 641  
 Forsee, J. H., 824  
 Frank, E., 101  
 Friedman, M., 491  
 Friedman, N. H., 271  
 Frye, C. W., 413, 423
- Gardberg, M., 544  
 Gasul, B. M., 501  
 Geraci, J. E., 173  
 Glass, M., 524  
 Glover, R. P., 207  
 Golbey, M., 735  
 Goldberger, E., 564  
 Gordon, A. S., 413, 423  
 Gorham, L. W., 221  
 Gottfried, S. P., 271  
 Goyette, E. M., 56, 824
- Graber, C. D., 56  
 Graettinger, J. S., 384  
 Graybiel, A., 384, 564  
 Green, D. M., 536  
 Green, H. D., 374
- Hall, R. J., 855  
 Hardy, H. L., 129  
 Haring, O. M., 501  
 Harris, R., 221  
 Harrison, J. W., 766  
 Hecht, H. H., 564  
 Heidorn, G., 207  
 Hellems, H. K., 653  
 Herzig, L., 680  
 Hickam, J. B., 362  
 Hoobler, S. W., 887  
 Horan, L. G., 728  
 Horlick, L., 30  
 Hurst, J. W., 921
- Jacobs, M., 641  
 Janton, O. H., 207  
 Johnston, F. D., 564
- Kalser, M. H., 413, 423  
 Katz, L. N., 237, 247, 251, 527, 663  
 Katz, R., 685  
 Keys, A., 850  
 Kinsey, D., 912  
 Kohn, R. M., 221  
 Kossmann, C. E., 564, 747
- Ladopoulos, C. P., 735  
 Landtman, B., 859, 871  
 Leight, L., 653  
 Leinwand, I., 94  
 Lepeschkin, E., 564  
 Levine, H. D., 829  
 Lichtenstein, H., 195  
 Lieberman, J. S., 338  
 Lind, J., 195  
 Logue, R. B., 921  
 Luisada, A. A., 501  
 Lukash, L., 524
- McCord, M. C., 161  
 McCormack, L. J., 766  
 Manchester, B., 691  
 Manger, W. M., 641  
 Manning, G. W., 401  
 March, H. W., 43  
 Martin, W. J., 173  
 Miller, R. D., 423  
 Montgomery, A. V., 721  
 Montgomery, H., 442  
 Moore, D. H., 94  
 Morris, G., 265  
 Morrow, J. D., 321  
 Mosey, L., 65  
 Moyer, J. H., 265  
 Mueller, H., 161  
 Mullertz, S., 213  
 Murray, M., 255  
 Myers, G. B., 564
- O'Neill, T. J. E., 207
- Packard, J. M., 384  
 Page, I. H., 1, 714  
 Pearson, C. M., 855
- Perera, G. A., 28  
 Perry, H. M., Jr., 321  
 Pick, R., 237, 247, 251  
 Pomeranze, J., 742  
 Pope, R. H., 271  
 Prevedel, A. E., 721
- Raaschou, F., 511  
 Rabkin, B., 691  
 Redisch, W., 366  
 Riseman, J. E. F., 809  
 Rochlin, I., 843  
 Roeschmann, W., 685  
 Roth, F. H., 735  
 Roth, G. M., 641  
 Rubin, I., 232
- St. Clair, R. W., 277  
 Sarnoff, L. C., 84  
 Sarnoff, S. J., 84  
 Schemm, F. R., 430  
 Scherf, D., 735  
 Schlant, R. C., 829  
 Schroeder, H. A., 321  
 Schweitzer, M., 699  
 Shachnow, N., 232  
 Shaffer, A. B., 527  
 Silber, E. N., 527  
 Silva, T. F., 912  
 Simonson, E., 850  
 Smith, R. C., 801  
 Smithwick, R. H., 912  
 Snider, T. H., 653  
 Snyder, H., 265  
 Soffer, A., 255  
 Soloff, L. A., 207  
 Spellman, S., 232  
 Spicer, W. S., 56  
 Sprague, H. B., 129  
 Stamler, J., 237, 247, 251, 896  
 Stead, E. A., Jr., 362  
 Steele, J. M., 366  
 Steinberg, L. A., 809  
 Storm, O., 213  
 Swan, H., 161, 721, 824  
 Swan, H. J. C., 705
- Taylor, A., 331, 338  
 Thompson, J. E., 912  
 Todd, M., 680  
 Toriello, L., 685  
 Treloar, A. E., 481  
 Tyler, M. D., 65
- Van Bergen, F. H., 481  
 Van Loon, E. J., 201  
 Vitale, A., 81
- Wallach, J. B., 524  
 Wathen, J. D., 201  
 Weatherhead, D. S., 481  
 Wegelius, C., 195  
 Wertheimer, L., 366  
 Wilson, F. N., 564  
 Wilson, M. G., 699  
 Wolff, L., 282  
 Wood, E. H., 705  
 Wood, J. C., 517  
 Wright, I. S., 331, 338, 680
- Zintel, H. A., 442

# INDEX OF AUTHORS

- Abelmann, W. H., 71  
Abildskov, J. A., 728  
Akerson, I. B., 271  
Altman, G. E., 809  
Angrist, A. A., 524  
  
Bailey, C. C., 829  
Baltes, E. J., 641  
Barnard, P. J., 343  
Beckwith, R. R., 56  
Beinfeld, W. H., 742  
Berglund, E., 84  
Berkson, J., 641  
Best, M. M., 201  
Blake, H. A., 824  
Blount, S. G., Jr., 161  
Bollman, J. L., 641  
Bourgain, R., 680  
Brown, H. B., 714  
Buckley, J. J., 481  
Buka, R., 71  
Burch, G. E., 564, 728  
Burchell, H. B., 574, 705, 801  
Burnum, J. F., 362  
Byers, S. O., 491  
  
Camara, A. A., 430  
Case, R. B., 84  
de la Chapelle, C. E., 747  
Chessin, M., 742  
Clifford, G. O., 653  
Comroe, J. H., Jr., 81  
Conn, H. L., Jr., 517  
Cronvich, J. A., 728  
  
Derow, H. A., 114  
Di Mauro, S., 271  
Ditzel, J., 277  
Dobkin, A. B., 481  
Dontas, A. S., 887  
DuBose, H. H., 374  
Ducci, H., 685  
Dumke, P. R., 81  
Duncan, C. H., 201  
  
Edwards, J. E., 801  
Edwards, W. L. J., 843  
Eisenberg, S., 902  
Ellis, E. J., 536  
Ernstene, A. C., 766  
  
Fleischner, F. G., 71  
Flock, E. V., 641  
Forsee, J. H., 824  
Frank, E., 101  
Friedman, M., 491  
Friedman, N. H., 271  
Frye, C. W., 413, 423  
  
Gardberg, M., 544  
Gasul, B. M., 501  
Geraci, J. E., 173  
Glass, M., 524  
Glover, R. P., 207  
Golbey, M., 735  
Goldberger, E., 564  
Gordon, A. S., 413, 423  
Gorham, L. W., 221  
Gottfried, S. P., 271  
Goyette, E. M., 56, 824  
  
Graber, C. D., 56  
Graettinger, J. S., 384  
Graybiel, A., 384, 564  
Green, D. M., 536  
Green, H. D., 374  
  
Hall, R. J., 855  
Hardy, H. L., 129  
Haring, O. M., 501  
Harris, R., 221  
Harrison, J. W., 766  
Hecht, H. H., 564  
Heidorn, G., 207  
Hellems, H. K., 653  
Herzig, L., 680  
Hickam, J. B., 362  
Hoobler, S. W., 887  
Horan, L. G., 728  
Horlick, L., 30  
Hurst, J. W., 921  
  
Jacobs, M., 641  
Janton, O. H., 207  
Johnston, F. D., 564  
  
Kalser, M. H., 413, 423  
Katz, L. N., 237, 247, 251, 527, 663  
Katz, R., 685  
Keys, A., 850  
Kinsey, D., 912  
Kohn, R. M., 221  
Kossmann, C. E., 564, 747  
  
Ladopoulos, C. P., 735  
Landtman, B., 859, 871  
Leight, L., 653  
Leinwand, I., 94  
Lepeschkin, E., 564  
Levine, H. D., 829  
Lichtenstein, H., 195  
Lieberman, J. S., 338  
Lind, J., 195  
Logue, R. B., 921  
Luisada, A. A., 501  
Lukash, L., 524  
  
McCord, M. C., 161  
McCormack, L. J., 766  
Manchester, B., 691  
Manger, W. M., 641  
Manning, G. W., 401  
March, H. W., 43  
Martin, W. J., 173  
Miller, R. D., 423  
Montgomery, A. V., 721  
Montgomery, H., 442  
Moore, D. H., 94  
Morris, G., 265  
Morrow, J. D., 321  
Mosey, L., 65  
Moyer, J. H., 265  
Mueller, H., 161  
Mullertz, S., 213  
Murray, M., 255  
Myers, G. B., 564  
  
O'Neill, T. J. E., 207  
  
Packard, J. M., 384  
Page, I. H., 1, 714  
Pearson, C. M., 855  
  
Perera, G. A., 28  
Perry, H. M., Jr., 321  
Pick, R., 237, 247, 251  
Pomeranze, J., 742  
Pope, R. H., 271  
Prevedel, A. E., 721  
  
Raaschou, F., 511  
Rabkin, B., 691  
Redisch, W., 366  
Riseman, J. E. F., 809  
Rochlin, I., 843  
Roeschmann, W., 685  
Roth, F. H., 735  
Roth, G. M., 641  
Rubin, I., 232  
  
St. Clair, R. W., 277  
Sarnoff, L. C., 84  
Sarnoff, S. J., 84  
Schemm, F. R., 430  
Scherf, D., 735  
Schlant, R. C., 829  
Schroeder, H. A., 321  
Schweitzer, M., 699  
Shachnow, N., 232  
Shaffer, A. B., 527  
Silber, E. N., 527  
Silva, T. F., 912  
Simonson, E., 850  
Smith, R. C., 801  
Smithwick, R. H., 912  
Snider, T. H., 653  
Snyder, H., 265  
Soffer, A., 255  
Soloff, L. A., 207  
Spellman, S., 232  
Spicer, W. S., 56  
Sprague, H. B., 129  
Stamler, J., 237, 247, 251, 896  
Stead, E. A., Jr., 362  
Steele, J. M., 366  
Steinberg, L. A., 809  
Storm, O., 213  
Swan, H., 161, 721, 824  
Swan, H. J. C., 705  
  
Taylor, A., 331, 338  
Thompson, J. E., 912  
Todd, M., 680  
Toriello, L., 685  
Treloar, A. E., 481  
Tyler, M. D., 65  
  
Van Bergen, F. H., 481  
Van Loon, E. J., 201  
Vitale, A., 81  
  
Wallach, J. B., 524  
Wathen, J. D., 201  
Weatherhead, D. S., 481  
Wegelius, C., 195  
Wertheimer, L., 366  
Wilson, F. N., 564  
Wilson, M. G., 699  
Wolff, L., 282  
Wood, E. H., 705  
Wood, J. C., 517  
Wright, I. S., 331, 338, 680  
  
Zintel, H. A., 442

## INDEX OF SUBJECTS

(Page numbers in italics refer to abstracts)

- Abdomen**, in vascular pooling associated with atropinization, 426
- Abscess**, of myocardium, 758
- Acetate**, turnover of  
in hyperthyroidism, 595  
in hypothyroidism, 595  
normal, 595
- Acetylcholine**  
in heart, 942  
for ventricular fibrillation after ventriculotomy, 723-724
- Acetylsalicylic acid**, in rheumatic myocarditis, 761, 762
- Acidosis**, in chronic kidney disease, 122-123
- Aconitine**, arrhythmia after, in cold-blooded heart, 939
- Acrosclerosis**, lilar for, 382
- ACTH**. *See* Corticotropin
- Adenosine 5-monophosphate**, and serum cholesterol, 25
- Adrenalectomy**  
bilateral, for hypertension, 782  
and cerebral blood flow before and after adrenalectomy, 781
- Adrenal gland**  
ascorbic acid in  
after pressor amines, 634  
after renin injection, 140  
resection of for hypertension, 780  
sodium-retaining substance in extract of, 470
- Aerosol**, bronchodilator, for pulmonary emphysema, 787
- Age (of subject)**  
in atrial rupture, 228  
and blood cholesterol levels, 15-16  
and changes in diffusion coefficients of solutes in aortic tissue, 607  
and direct vs. indirect measurement of arterial blood pressure, 486  
and hepatitis, 512  
and lilar tolerance, 380  
and lipoprotein fractions, 10-11  
and myocarditis, 748
- Air**, intracardiac, death due to, 307
- Aircrow**, electrocardiography in selection of, 384-399, 403-412
- Albumin in serum**  
of professional blood donors, 98  
and serum lipids, 94-99
- Alcohol**, and vasoconstriction due to frostbite, 469
- Alkaloid**  
cinchona  
for angina pectoris, 809-821  
toxicity of, 817, 820-821  
dihydrogenated ergot. *See* Hydergine
- ergot, dihydrogenated. *See* Hydergine
- veratrum, in pregnancy with toxemia and hypertension, 143, 144
- Alloxan**, protection due to, in experimental atherosclerosis, 793
- Alpha toxin**, of *Clostridium welchii*, in determination of stability of serum lipoprotein, 31-40
- Alveolitis**, necrotizing pulmonary, with acute glomerulonephritis and periarteritis nodosa, 787
- American Heart Association, Inc.**  
anatomic cardiac stamps, 477, 639  
"Arteriosclerosis," a film, 478  
"Atlas of Congenital Cardiac Disease," 639, 800  
Blakeslee Awards, 475, 477  
career investigators, 151-157  
Committee on Anticoagulants, 638  
Committee on Electrocardiography, on standardization of electrocardiographic and vectorcardiographic leads, 564-572  
Conner Memorial Lecture, 1-27  
Council for High Blood Pressure Research, 477, 638  
Council on Rheumatic Fever and Congenital Heart Disease, 477  
courses  
in electrocardiographic interpretation, 160  
in practical electrocardiology, 478  
established investigators continued, 151  
new, 152  
film on atherosclerosis, 478  
grant awards continued, 154  
new, 155  
Life Insurance Research Fund Fellowships and Grants, 479  
meetings, 160  
new officers of Scientific Council, 799  
research awards, 151-157, 479  
applications for, 157  
research fellows  
new, 153  
renewal, 152  
Scientific Council, 799  
Second World Congress of Cardiology and 27th Scientific Sessions, 158-160, 308, 475, 476, 799  
abstracts of, 638  
Section on Circulation, 475
- Sixth Annual Symposium on Heart Disease, 639  
Subspecialty Board, 477
- American Society for the Study of Arteriosclerosis**, eighth annual meeting  
abstracts of proceedings of, 584-615  
program of, 580-583
- Amine**, pressor, adrenal ascorbic acid after, 634
- Ammonium**, reversal of depressor action of quaternary compounds of, 887-894
- Amyloidosis**, heart in, 575
- Anastomosis**, aorta-coronary sinus, 940
- Anemia**  
in bacterial endocarditis, 133  
cardiovascular effects of, 786  
in chronic kidney insufficiency, 122  
hemolytic  
and acute disseminated lupus erythematosus, 149  
in thrombotic thrombocytopenic purpura, 47-48  
sickle cell, hemodynamic studies in, 653
- Anesthesia**  
cyclopropane, blood flow in muscle during, 298  
high spinal, and kidney hemodynamics in pregnancy with toxemia and hypertension, 143  
and pheochromocytoma, 648
- Aneurysm**  
aortic  
abdominal, 463, 466, 788, 945  
ascending, 467  
dissecting, 951  
hemorrhage due to rupture of, 466  
homograft in treatment of, 463  
rupture of, into superior vena cava, 951  
thoracic, 951  
traumatic, 824-827  
treatment of, 463, 945  
wrapping for, 466, 948  
of aortic sinus, 577  
arteriosclerotic, of abdominal aorta, 788  
atrial, rupture associated with, 225  
of carotid artery, internal, 466  
proximal arterial ligation for, 789  
of coronary artery, 621  
dissecting  
with intracardiac rupture, 469  
with migraine, 469  
pain due to, 921  
embolic mycotic, 791  
of heart, 937

**Aneurysm (Cont'd)**

multiple, into internal carotid artery, 466

mycotic, 951

embolic, 791

peripheral, treatment of, 952

saccular, of thoracic aorta, 951

**Angitis**, necrotizing, 790

**Angina**

and coronary dilators, 454

pectoris

in chronic kidney disease, 122, 124

cinchamidine sulfate for, 813, 816, 819-821

cinchona alkaloids for, 809-821

chinchonidine sulfate for, 813, 816, 819-821

choline and inositol for, 588

cinchonine sulfate, 813, 816, 819-821

due to coronary atherosclerosis, electrocardiogram in, 929, 931

diagnosis of, 920

digestive studies in, 938

Ethaverine for, 303

heparin for, 775

inositol and choline for, 588

Khelltron for, 633

nitroglycerin for, 813, 815, 819

pentaerythritol tetranitrate for, 813, 815, 819

placebo for, 813, 815

procaine amide hydrochloride for, 813, 815

quinidine sulfate for, 813, 815-816, 819-821

quinine sulfate for, 813, 816, 819-821

resection of anginal pathway for relief of pain due to, 464

serum lipid in, after choline-inositol therapy, 588

serum albumin in, 95-97

serum globulin in, 95-97

**Angiocardiography**

in atrioventricular block, 195-200

death following, 945

and mitral valvular surgery, 635

radiation hazard during, 306

**Angioneurosis**, thrombocytopenic

verrucal, 45-52

**Angiopathy**, diabetic, 791**Anorexia**, due to digitalis, 931**Antibiotic**

broad spectrum for enterococcal endocarditis, 178-179

for enterococcal bacteremia, 63

prophylaxis in congestive heart failure, 619

therapy for bacterial endocarditis, 761

**Anticoagulant**

Dipaxin, 685-689

hemopericardium after therapy with, 134

long-term therapy with, for cardiovascular disorders, 616

Marcumar, 680-684

in prevention of systemic ar-

terial embolism in rheumatic heart disease, 517-525

therapy with

during major surgery, 213-219

and survival rates in myocardial infarction, 621

**Antidiuresis**, spontaneous, during water diuresis, 470

**Antidiuretic hormone**, inactivation of, by blood serum of pregnant women, 149

**Anuria**, ion-exchange resins for, 456

**Aorta**

abdominal

aneurysm of, 463, 466, 788, 945

resection of, with homologous aortic graft replacement, 307

surgery for arteriosclerotic aneurysm of, 788

anastomosis of, with coronary sinus, 940

aneurysm of

cellophane wrapping of, 466

dissecting, 469, 951

rupture of, into superior vena cava, 951

traumatic, 824-827

treatment of, 945

wrapping for, 466, 948

arch of, diseases, 468

atherosclerosis

in chickens, 252

morphogenesis of, 598

cholesterol synthesis by, in vitro, 594

coarctation of, 135

acquired, 307

electrocardiogram in, 139, 871-876, 881-883

and endocardial fibro-elastosis in infancy, 936

with hypertrophy of right ventricle and atrium, 935

murmur of, 507

postoperative electrocardiogram in, 871-876, 881-883

resection of, and replacement with preserved vessel graft, 307

surgical treatment of, 462

electrical potential differences across, 453

graft of, as replacement for resection of abdominal aorta, 307

gunshot injuries of, 463

hypoplasia of, 618

lipoid infiltration of, after high fat, cholesterol-free diet, 592

metabolism of, 8

phospholipid synthesis by, in atheromatosis, 594

protein in, 8

sclerosis of

due to cholesterol, 609

due to dietary deficiency of lipotropic factors, 588

due to epinephrine, 609

septal defect of, congenital, 774

stenosis of, calcific, 925

thoracic

anomalies of, 776

arterial homograft in, 465

saccular aneurysm of, 951

tissue of,

Krebs cycle enzymes in, 607

succinic dehydrogenase in, 607

**Aortic arch syndrome**, heman-gioma and thrombocyto-penia in, 468

**Aortic sinus**, aneurysm, of 577

**Aortic valve**

murmur, 506

rupture of, 304

stenosis of, 926

commissurotomy for, 465

**Aortitis**, syphilitic, penicillin treatment of, 302

**Aortography**

intra-aortic procaine injection in, 294

translumbar, in localizing arterial emboli, 150

**Apoplexy**, urethral, in malignant hypertension, 627

**Appendage**

left atrial

active rheumatic lesions in, 306

Aschoff bodies in, 789

thrombosis of, 635

**Apresoline**

and cerebral hemodynamics in toxemia of pregnancy, 631

in experimental eclampsia-like syndrome, 473

for hypertension, 626

arterial, 141

with hexamethonium, 626

with Pricoline, 626

in hypertensive arteriosclerotic syndrome, 779

and kidney hemodynamics in pregnancy with toxemia and hypertension, 143

toxic effects of, 941, 943

See also Hydrazinophthalazine

**Arachnodactyly**, 467**Aramine**, 89

arterial hypotension after, in coronary insufficiency, 90

arterial pressure after, 85

cardiac output after, in coronary insufficiency, 90

in cardiogenic shock, 84-92

hemodynamic effects of, 86-87

cerebral, 265-270

myocardium after, 87-92

pulse rate after, 85

ventricular function curves after, 87, 89

**Arch**, aortic, diseases of, 468**Arfonad**

controlled hypotension with, in neurosurgery, 465

and kidney hemodynamics in pregnancy with toxemia and hypertension, 143

**Arrest**, cardiac, 147

intracardiac puncture in, 306

multiple episodes of, 306

prevention of, 947

treatment of, 947



- Arrhythmia**, 923-924  
auricular, procaine amide for, 456  
cyclopropane-epinephrine effect of ether on, 942  
due to digitalis, 931  
after endotracheal intubation, 295  
in five thousand healthy adult males, 409  
during heart surgery, 789  
in myocarditis, 752-753, 756  
after surgical correction of coarctation of aorta, 872  
of patent ductus arteriosus, 876  
transient, due to nonpenetrating chest trauma, 146  
ventricular  
nervous mechanisms due to calcium chloride in, 458  
neurogenic, 458  
ouabain-induced, 65-70  
See also Fibrillation; Flutter; Pulsus alternans; Tachycardia
- Arteriol**, for surgery shock, 949
- Arteriole**  
of lung  
in calcific aortic stenosis, 806  
in chronic left ventricular failure, 805  
definition of, 802  
in mitral stenosis, 807  
normal, 806  
in systemic hypertension, 806  
necrosis of, and Hyphex for hypertension, 327  
in thrombotic thrombocytopenic purpura, 43-52
- Arteriography**  
in arteriosclerosis, 775  
in diagnosis of spontaneous thrombosis of right internal carotid artery, 950  
femoral, in arteriosclerosis obliterans, 615
- Arteriosclerosis**  
American Society for the Study of  
abstracts of proceedings of eighth annual meeting of, 584-615  
program of eighth annual meeting, 580-583  
arteriography in, 775  
and carcinoma of stomach, 468  
cerebral, oral Metrazol in psychoses with, 301  
cerebral circulation in, 790-791  
clinical report, 610  
coronary  
and hypertension, 121  
turbidity of serum in, 39  
direct surgery of, with replacement of homologous aortic graft, 307  
and hypertension, 352-355  
Apresoline for, 779  
obliterative  
femoral arteriography in, 615  
Ilidar for, 381  
serum albumin in, 95-97, 99  
serum globulin in, 95-97  
paper electrophoresis in, 775  
and peptic ulcer, 468  
peripheral, lipoprotein pattern in, 13  
pulmonary  
primary, vs. thromboembolism, 951  
due to recurrent thromboembolism, 951  
and serum stability, 792  
spontaneous, in induced arteriopathy, 609  
stenosis due to, 467  
therapy of, 601
- Arteritis**  
diffuse, course of, 790  
necrotizing, B complex vitamins in prevention of, 600
- Artery**  
in atherogenesis, 20  
arteriosclerotic stenosis of, 467  
bank for, 952  
basilar, occlusion of, 938  
blood pressure in, 85  
measurement of, direct vs. indirect, 481-490  
coronary. See Coronary artery  
embolus in  
and mitral stenosis, 208  
prevention of, in rheumatic heart disease, 517-525  
translumbar aortography in localizing of, 150  
homograph of, 952  
insufficiency of  
adrenergic blocking for, 366-372  
Dibenzyline for, 366-372  
metabolism of, 8  
movement of plasma constituents through wall of, in atherogenesis, 3-6  
muscular, of lung  
in calcific aortic stenosis, 806  
in chronic left ventricular failure, 804-805  
definition of, 802  
in mitral stenosis, 807  
normal, 806  
in systemic hypertension, 806  
occlusion of  
evaluation of treatment of, 794  
survival after, 938  
oxygen saturation in, in pulmonary congestion and edema, 81-82  
sudden occlusion of, Ilidar for, 381  
wall of, and plasma lipids, 614
- Aschoff bodies**, in left atrial appendage, 789
- Ascorbic acid**  
adrenal  
after pressor amines, 634  
after renin injection, 140  
with desoxycorticosterone acetate, in rheumatic disease, 635
- Asthma**  
cardiac, tetraethylammonium bromide for, 628  
in differential diagnosis, 922
- Asystole**, ventricular, multiple episodes of, 306
- Atelectasis**, lung circulation in, 630
- Atherogenesis**, 3  
in cholesterol-fed chicks  
after adrenal corticoids, 247-250  
and corticotropin, 237-244, 247-250  
and cortisone, 237-244  
estrogen prophylaxis of, 247-250  
and hydrocortisone, 237-244  
in cholesterol-fed hens, 251-254  
cholesterol-phospholipid ratio, 16-17  
chylomicron in, 18  
and compound F, 240, 243  
coronary, and estrogen, 247-250, 251-254  
after corticotropin in cholesterol-fed chicks, 237-244, 247-250  
after cortisone in cholesterol-fed chicks, 237-244  
and estrogen, 25  
experimental, 4-6  
factors predisposing to, 4-5  
methods of, 4-6  
heparin in, 14-15  
after hydrocortisone in cholesterol-fed chicks, 237-244  
iodide in, 23-24  
mast cell in, 15  
in rabbit, after intravenous injection of colloidal solution, 597  
sterol metabolism in, 6-8  
thyroid in, 23-24
- Atheromata**, in vitro production of, 699
- Atheromatosis**, aortic synthesis of phospholipid in, 594
- Atherosclerosis**, 791  
abnormal plasma in, 15  
in aged subjects, 605  
and alloxan protection, 793  
anatomic factors in, 19-20  
in animals, 6  
in aorta in chickens, 252  
blood constituents in, 271-275  
blood lipids in, 585  
and body type, 19  
Conner Memorial Lecture, 1-27  
coronary  
clinical diagnosis of, 621  
electrocardiogram in angina pectoris due to, 929, 931  
and plasma lipid partition after heparin, 935  
inhibition of, in cholesterol-fed, egg-producing hens, 251-254  
intramural vs. extramural, 603  
serum lipoprotein in, 621  
detection of, 20  
and diet, 20-23  
and fat tolerance, 742-746  
filtration concept of, 2-4  
fractionations in, 271-275  
heredity in, 19  
and heparin in cholesterol-fed rabbit, 590  
and lecithin, 25  
and lipoproteins, 11-12  
morphogenesis of, in swine aortas, 598

- Atherosclerosis** (*Cont'd*)  
 premature and essential hyperlipemia, 611  
 in rats, 5  
   after forced feeding of vegetable oil, 592  
   rate of regression of, 597  
   and serum cholesterol levels, 744-745  
   and serum fatty acids, 745  
   serum lipoprotein in, stability of, 30-40  
   and sitosterol, 25  
   and starvation, 25  
   and testosterone, 25  
   thromboembolic vs. primary pulmonary, 951  
   treatment of, 26-27  
   xanthoma in, 790
- Atrabrine**, for lupus erythematosus, 457
- Atrial appendage**  
 left  
   active rheumatic lesions in, 306  
   Aschoff bodies in, 789  
   thrombosis of, 635
- Atriogram**, in congenital cardiopathies, 295
- Atropine**  
 postural hypotension induced by, 413-421, 423-428  
 tachycardia induced by, 417  
 vascular pooling induced by, 423-428
- Atrioseptopexy**, for interatrial septal defects, 307
- Atrioventricular block**  
 complete, 195-200  
 left auricular pressure curve before and during, 145
- Atrium**  
 aneurysm of, rupture associated with, 225  
 electrokymography of, in mitral regurgitation, 71-79  
 flutter of, diagnosis, 624  
 infarction of, and atrial rupture, 223  
 interatrial communications and venoarterial shunts, 705-712  
 interatrial defects of, 528-529  
   in adults, 135  
   cyclic flow across, 531-532  
   production of, 946  
 left  
   dilatation of, in mitral stenosis and insufficiency, 211  
   hemodynamics of, in mitral stenosis, 460  
   myxoma of, simulating mitral stenosis, 766-771  
   suprasternal puncture of, for flow studies, 954  
   tumor of, 576  
   pressure curves of, and pulmonary capillary pressure curve, 629  
   pressure gradient in, interatrial, 527-534  
   rupture of, 221-229  
   septal defect of  
     atrioseptopexy for, 307  
     closure of, 617  
   interatrial, 135, 528-529, 531-532, 705-712, 946  
   murmur in, 507  
   surgery for, 788  
   surgical repair of, 307  
   *See also* Auricle
- Aureomycin**  
 for bacteremia following oral surgery, 454  
 and epinephrine, arrhythmia due to, 941  
 prophylaxis with  
   in congestive heart failure, 619  
   in rheumatic fever, 305
- Auricle**  
 arrhythmia of, procaine amide for, 456  
 dangerously torn, management of, 946  
 fibrillation of, 923  
   conversion of, to normal sinus rhythm, 521  
   hyperactive carotid sinus reflex in, 146  
   with mitral stenosis, and embolism, 520-521  
   and mural thrombi in bacterial endocarditis, 525  
   paroxysmal, 924  
 flutter of  
   diagnosis of, 924  
   spontaneous, 298  
 left  
   herniation of, 618  
   pressure in, in man, 299  
   pressure curve in, before and during atrioventricular block, 145  
   myocardium of, electrocardiographic localization of damage to, 140  
   septal defect of, surgical closure of, 461  
   tachycardia of  
     paroxysmal, 923  
     persistent, 232-235  
   *See also* Atrium
- Auricular appendage**  
 left  
   active rheumatic lesions in, 306  
   Aschoff bodies in, 789  
   thrombosis of, 635
- Auscultation**, in mitral insufficiency and stenosis, 208, 210
- Auscultatory method**, for measurement of arterial blood pressure, 487-489
- Autonomic nervous system**, hypotension due to disease of, 362-364
- Aviator**, electrocardiography in selection of, 384-399, 403-412
- Bacitracin**, for endocarditis  
 enterococcal, 179, 186, 187  
 staphylococcal, 63
- Bacteremia**  
 gram positive, therapy of, 56-64  
 after oral surgery, aureomycin for, 454
- Bacterial test**, in enterococcal endocarditis, 187
- Ballistocardiogram**  
 in coronary artery disease  
   after exercise, 139  
   after smoking, 139  
 after exercise, 139  
 in mitral insufficiency, 210  
 after smoking, 139  
   by high school students, 777  
 systolic waves of, 778
- Ballistocardiograph**  
 aperiodic, 778  
 electromagnetic, vs. high-frequency table, 139  
 high-frequency table, vs. direct recording of body motion, 139  
 photoelectric, vs. high-frequency table, 139  
 physical properties of, 776  
 piezoelectric, vs. high-frequency table, 139
- Ballistocardiography**  
 acceleration, in coronary heart disease, 625  
 with elimination of vibration properties of body, 625  
 of middle-aged men, and serum cholesterol concentration, 613  
 effect of second degree of freedom in, 778  
 time relationships in, 139
- Balthazar-Foster murmur**, 458
- Bank**, for arterial homografts, 952
- Basilar artery**, survival after occlusion of, 938
- Basophil**, circulating, after cortisone, 779
- B complex vitamin**, in prevention of necrotizing arteritis, 600
- Beat**, premature, in one thousand young healthy aviators at ten year follow up, 387
- Beck's operation**, 940
- Bedside prothrombin test**, for control of Dicumarol therapy in myocardial infarction, 691-697
- Benodaine**  
 and epinephrine, 647  
 and norepinephrine, 647
- Benzenethacil**, in plasma, after single oral doses, 301
- Beriberi**, and heart failure, 576
- Berylliosis**  
 and Boeck's sarcoid, 131  
 and pregnancy, 130  
 and pulmonary hypertension mistaken for rheumatic fever, 129
- Bile**, and cholesterol metabolism, 7
- Bile duct**, obstruction of  
 in experimental kidney hypertension, 144  
 serum lipoprotein pattern characteristic of, 586
- Bilirubin**, in serum, in thrombotic thrombocytopenic purpura, 48
- Bio-electricity**, in etiology of intravascular thrombosis, 292

- 1-Hydroxycoumarin**, poisoning due to, 474
- Bladder**, urinary, pheochromocytoma of, 141
- Bleeding time**, prolonged  
corticotropin for, 292  
cortisone for, 292
- Blister**, due to cantharides in rheumatic fever, 459
- Block**  
adrenergic  
adrenal ascorbic acid after, 634  
for arterial insufficiency in extremity, 366-372  
with Dibenzyline, 366-372  
with Ilidar, 374-383  
atrioventricular  
complete, 195-200  
left auricular pressure curve before and during, 145  
in myocarditis, 757  
autonomic, in prevention of neurogenic ventricular arrhythmia, 458  
bundle-branch  
alternation of, 622  
in five thousand healthy adult males, 406-407  
rare type of, in syphilis, 453  
right, in differential diagnosis, 930  
in myocarditis, 757  
fiber, 294  
ganglionic  
due to atropine, 427  
tolerance to, 887-894  
intraventricular, in myocarditis, 757  
stellate ganglion, value of, 473
- Blood**  
carbon dioxide partial pressure in, 146  
circulating, coagulation in, 359  
cholesterol in  
in atherosclerosis, 273  
and cholesterol in diet, 21  
and fat in diet, 21  
constituents of  
in atherosclerosis, 271-275  
in depancreatized rabbits on various diets, 596  
gas in, after continuous intravenous Neo-Synephrine, 147  
gram-positive bacteremia in, 56-64  
lipid in  
in atherosclerosis, 273, 585  
after estrogen, 25  
and hypoproteinemia, 18  
non-dietary influences, 23-26  
nonprotein nitrogen in, and Hyphex for hypertension, 325  
oxygen content of, spectrophotometric estimation of, 471  
oxygen partial pressure in, 146  
percentage oxygen saturation of, spectrophotometric estimation of, 471  
phosphate in, in atherosclerosis, 274  
phospholipid in, in atherosclerosis, 273  
pressor in, salt-fed rabbit as test object for, 297  
protein in  
in myocardial infarction, 138  
in rheumatic fever, 460  
in thrombotic thrombocytopenic purpura, 48
- Blood donors**, professional, albumin-globulin ratio in, 98
- Blood flow**  
in bone marrow  
in leukemia, 453  
in neoplastic diseases, 453  
coronary, measurement of, using rate of myocardial nitrous oxide desaturation, 298  
after hexamethonium chloride, 889-891  
kidney, after hemorrhage, 145  
liver, after hemorrhage, 145  
in muscle  
during cyclopropane anesthesia, 298  
after ultrasonic irradiation, 297  
after tetraethylammonium chloride, 889-891  
venous, 443-444  
during Valsalva maneuver, 146  
*See also* Circulation
- Blood pressure**  
arterial  
after Aramine, 85  
measurement of, direct vs. indirect, 481-490  
after atropine sulphate, 415, 423-425, 426  
cerebral  
after Aramine, 267  
after norepinephrine, 267  
after continuous intravenous Neo-Synephrine, 147  
after corticotropin in cholesterol-fed chicks, 240, 243  
after cortisone in cholesterol-fed chicks, 240, 243  
after dietary stress followed by salt, 784  
after discontinuous decompression in rat, 471  
in hepatitis, 513  
and hexamethonium, 888-889, 942  
high. *See* Hypertension  
after hydrocortisone in cholesterol-fed chicks, 240, 243  
of hypertensive rats, and dietary potassium, 779  
after Hyphex for hypertension, 326  
low. *See* Hypotension  
new instrument for continuous recording of, 472  
and postural change, 415  
pulmonary arterial  
in mitral stenosis, 147  
and oxygen content, 451  
and sodium excretion, 917  
and sodium output, 536-542  
during surgery, 466  
after tetraethylammonium chloride, 887-889
- Blood prothrombin test**, for control of Dicumarol therapy  
in myocardial infarction, 691-697
- Blood vessel**  
in atherogenesis, 20  
conjunctival photography of, 278-281  
large, controlled hypotension for surgery in, 952  
metabolism of, 8  
pulsation of, and lymph pressure, 629  
sensitivity of, to epinephrine after sympathectomy, 462  
*See also* Artery; Capillary; Vein
- Blood volume**  
in congestive heart failure, 902-910  
pulmonary, in regulation of circulation, 148
- Body build**  
and atherosclerosis, 19  
and direct vs. indirect measurement of arterial blood pressure, 485-486
- Body water**, after corticotropin in rheumatic disease, 306
- Boeck's sarcoid**, and berylliosis, 131
- Bone marrow**  
blood flow in neoplastic diseases, 453  
in thrombotic thrombocytopenic purpura, 48
- Book reviews**  
Altschule, M. D.: *Acute Pulmonary Edema*, 957  
Barcroft, H., and Swan, H. J. C.: *Sympathetic Control of Human Blood Vessels*, 956  
Burch, G. E.: *Primer of Cardiology*, 957  
Burch, G. E.: *Primer of Congestive Heart Failure*, 960  
Cabot, C.: *Motion of the Heart; the Story of Cardiovascular Research*, 797  
Koller, E. K., and Katz, J.: *Bibliography of the World Literature on Blood Pressure. (1920-1950). Volume I (Authors and Titles), Volume II (Author Index and Title Index), Volume III (Abstracts)*, 959  
Lev, M.: *Autopsy Diagnosis of Congenitally Malformed Hearts*, 958  
Lipman, B. S., and Massie, E.: *Clinical Unipolar Electrocardiography*, 960  
Pratt, G. H.: *Cardiovascular Surgery*, 798  
Reich, N. E.: *Uncommon Heart Diseases*, 956  
Sclar, M.: *Heart and Circulation, Diagnosis and Treatment*, 798  
Vogl, A.: *Diuretic Therapy; The Pharmacology of Diuretic Agents and the Clinical Management of the Edematous Patient*, 959
- Bradycardia**  
in myocarditis, 752

**Bradycardia (Cont'd)**

- sinus, in one thousand young healthy aviators at ten year follow up, 386

**Brain**

- arteriosclerotic, oral Metrazol in psychoses with, 301
- cerebral blood flow in, in essential hypertension, before and after adrenalectomy, 781
- circulation in
  - in arteriosclerosis, 790-791
  - after hexamethonium bromide in hypertension, 296
  - in hypertension, 790-791
- edema in, and Hyphex for hypertension, 325
- extracts of, in cholesterol conversion, 25
- and endogenous hypercholesteremia, 606
- hemodynamics in, in toxemia of pregnancy, 631
- hemodynamic response of
  - to Aramine, 265-270
  - to norepinephrine, 265-270
- hemorrhage into, in hepatitis, 512
- after hypothermia, 794
- oxygen consumption of, in essential hypertension, 781
- vascular accidents to, 467

**Breathing**

- positive pressure, for pulmonary emphysema, 787
- work required for, in emphysema, 794

**Bronchodilator**, aerosolized, for pulmonary emphysema, 787**Bundle branch block**

- alternation of, 622
- in five thousand healthy adult males, 406-407
- rare type, in syphilis, 453
- right, in differential diagnosis, 930
- in myocarditis, 757

**Butanol**, protein-bound iodine insoluble in, and oral iodide, 716**Calcium**, in conversion of fibrinogen to fibrin, 935**Calcium chloride**, nervous mechanism due to, in ventricular arrhythmia, 458**Canadian air force**, electrocardiography in selection of, 384-400, 403-412**Cantharides**, fluid from blisters due to, in rheumatic fever, 459**Capillary**

- fragility, 298
- of nail-bed, in Raynaud's disease, 371
- resistance of, and stress, 298
- in thrombotic thrombocytopenic purpura, 43-52

**Carbohydrate**, metabolism of, in myocardium, 451**Carbomycin**, for enterococcal endocarditis, 179, 187**Carbon dioxide**

- partial pressure of, 146
- in blood, 146

**Carbonic anhydrase**, inhibition of, in congestive heart failure, 136**Carcinoma of stomach**, and arteriosclerosis, 468**Cardiac arrest**, 147

- intracardiac puncture in, 306
- multiple episodes of, 306
- prevention of, 947
- treatment of, 947

**Cardiac output**

- in acute rheumatic carditis, 944
- after application of leg tourniquet, 300
- after Aramine, 90
- in Laënnec's cirrhosis at rest, 452
- regulation of, 665
- in sickle cell anemia, 659
- and venous return, 784

**Cardiac reserve**, 669-671**Cardiopexy**, for coronary artery disease, 948**Cardiovascular disease**, photo-fluorograms suggestive of, 461**Cardiovascular system**

- and DMPP, 631
- long-term anticoagulant therapy for disorders of, 616
- and Pitressin, 941
- and pulmonary embolization, 784
- and vasopressin, 941

**Carditis**, acute rheumatic, cardiac output in, 944**Carotid artery**

- internal, 950
- proximal arterial ligation for, 789
- multiple aneurysms into, 466
- right internal, spontaneous thrombosis of, 950

**Carotid sinus**, pressure on, and ventricular impulse formation, 736-740**Carotid sinus nerve**, section of, with Apresoline for hypertension, 626**Carotid sinus reflex**, hyperactive, in auricular fibrillation, 146**Catheter**, intracardiac, with inflatable balloon for producing increased venous pressures in venae cavae, 298**Catheterization**, cardiac

- in mitral insufficiency and stenosis, 209
- in pressure reduction after hexamethonium, 780

**Cation**, in conversion of fibrinogen to fibrin, 935**Cation exchange resin**, 149**Causalgia**, lidlar for, 382**Cell**, reticuloendothelial, of liver in cholesterol disposition, 492-494

- in cholesterol deposition, after India ink injection, 494-495
- in cholesterol synthesis, 491-492

**Cellophane**, for wrapping of ab-

dominal aortic aneurysm, 466

**Central terminal**, and dipole eccentricity, 559**Cerebral artery**, dissecting aneurysm of, with migraine, 469**Cerebrum**

- arteriosclerotic, oral Metrazol in psychoses with, 301

**circulation in**

- in arteriosclerosis, 790-791
- in essential hypertension before and after adrenalectomy, 781
- after hexamethonium bromide in hypertension, 296
- in hypertension, 296, 790-791
- edema in, and Hyphex for hypertension, 325
- hemodynamic response of
  - to Aramine, 265-270
  - to norepinephrine, 265-270
  - in toxemia of pregnancy, 631
- hemorrhage into, in hepatitis, 512

- after hypothermia, 794
- oxygen consumption of, in essential hypertension, 781
- vascular accidents to, 467

**Cervical disc**, pain due to degeneration of, 921**Chagas' disease**

- intraventricular block in, 757
- myocardium in, 751

**Chemotherapy**, of rheumatic fever, 925**Chest**

- funnel, electrocardiographic alterations in, 776
- pain in, and heart disease, 920-921
- transient arrhythmia due to nonpenetrating trauma to, 146

**Chick**, cholesterol fed

- and corticotropin, 237-244
- and cortisone, 237-244
- and hydrocortisone, 237-244
- hyperglycemia in, after hydrocortisone, 238
- lipid levels of, after hydrocortisone, 238-239
- plasma glucose in, after hydrocortisone, 238-239

**Childhood**

- heart failure in, 923
- primary myocardial disease of, 300

**Chloramphenicol**

- for bacteremia, 62
- enterococci, 63
- for enterococcal endocarditis, 179, 187

**Chlorguanide hydrochloride**, for angina pectoris, 813, 817**Chloroquine**, for angina pectoris, 813, 817**Chlortetracycline**

- for bacteremia, 62
- enterococci, 63
- following oral surgery, 454
- for enterococcal endocarditis, 178-179, 187

**Cholesterogenesis**, 7



- Cholestenone**, in cholesterol conversion, 25
- Cholesterol**  
absorption of, 6-7  
aortic sclerosis due to, 609  
biosynthesis of, by aorta in vitro, 694  
in blood  
in atherosclerosis, 273  
and cholesterol in diet, 21  
and fat in diet, 21  
breakdown of, in body, 7  
conversion of, into coprosterol, 25  
dietary  
and atherogenesis in chicks, 237-244, 247-250  
and atherogenesis in hen, 251-254  
and blood cholesterol, 21-22  
distribution of  
by liver reticuloendothelial cells, 492-494  
in lipoproteins, 17-18  
esterified, 7  
liver deposition of  
after iodine administration, 23  
after injection of India ink, 494  
liver synthesis of  
dietary influences on, 612  
hormonal influences on, 612  
in mammals, 491-499  
metabolism of, 6-8, 599  
protein-bound iodine in, 24  
and phytosterol, 25  
in plasma  
and age of subject, 15-16  
after injection of India ink and excess cholesterol, 495-498  
liver in metabolism of, 7  
and myocardial infarction, 13  
precursors of, 7, 8  
in serum  
and adenosine 5-monophosphate, 25  
and ballistocardiographic characteristics of middle-aged men, 613  
and diet, 20-21  
gerontal, 474, 613  
in Italy, 606  
vs. low density lipoprotein in familial hypercholesterolemia, 608  
and obesity, 744-745  
after plant sterol administration, 589  
sitosterol in lowering of, 201-205  
synthesis of  
in body, 7, 22  
liver reticuloendothelial cells in, 491-492
- Cholesterol-phospholipid ratio**, in atherogenesis, 16-17
- Choline**  
and angina pectoris, 588  
deficiency of, and cardiovascular damage, 688
- Chordae tendinae**, rupture of, 577
- Chromic chloride**, radioactive, in plasma volume determination, 459
- Chromium**, radioactive, in determining effect of congestive heart failure on blood volume, 902-910
- Chylomicron**  
in atherogenesis, 18  
protein associated with, 596
- Chylomicronemia**  
and fatty acid absorption, 953  
postalimentary, and heparin, 134  
and protamine sulphate, 134
- Cigar**, electrocardiogram after smoking of, 138
- Cigarette**  
ballistocardiogram after smoking of, by high school youth, 777  
electrocardiogram after smoking of, 138
- Cinchamide sulfate**, for angina pectoris, 813, 816, 819-821
- Cinchona alkaloids**  
for angina pectoris, 809-821  
toxicity of, 817, 820-821  
for hypertension, 626
- Cinchonidine sulfate**, for angina pectoris, 813, 816, 819-821
- Cinchonine sulfate**, for angina pectoris, 813, 816, 819-821
- Circulation**  
cerebral  
in arteriosclerosis, 790-791  
after hexamethonium bromide in hypertension, 296  
in hypertension, 296, 790-791  
in toxemia of pregnancy, 631  
cessation of, in hypothermia, 305  
collateral, of lung, 784  
of kidney, and toxemia of pregnancy, 149  
of lung, in atelectasis, 630  
peripheral  
interpretation of tests of, 608  
in older subjects, 584  
pulmonary blood volume in regulation of, 148  
*See also* Blood flow
- Cirrhosis**, Laënnec's, 452
- Citrate**, urinary excretion of, during potassium deficiency, 472
- Citric acid**, in serum, in atherosclerosis, 274
- Claudication**, intermittent, Di-benzyl for, 371
- Clearing factor**, 14-15, 591  
lipemia, 690, 611  
production of, and hemorrhagic lipemia, 611
- Clostridium welchii**, in determination of stability of serum lipoproteins, 31
- Clotting time**, and Paritol, 134  
*See also* Coagulation
- Clubbing**, familial, 634
- Coagulation**  
acceleration of, by thrombin action on platelets, 934  
in circulating blood, 359  
defect of, acquired, 934  
intravascular, trypsin-induced, 333-336  
and Paritol, 134
- Coarctation of aorta**, 135  
acquired, resection of, and replacement with preserved vessel graft, 307  
electrocardiogram in, 139  
postoperative, 871-876, 881-883  
and endocardial fibroelastosis in infancy, 936  
with hypertrophy of right ventricle and atrium, 935  
murmur of, 507  
resection of, and replacement with preserved vessel graft, 307  
surgical treatment of, 462
- Coenzyme-A**, acetyl, in lipid metabolism, 8-9
- Cogan's syndrome**, 468
- Colloid**, intravenous  
atherogenesis after, 597  
hyperlipemia after, 597
- Commissurotomy**  
aortic, 465  
mitral, 460, 462  
evaluation of functional results after, 793-794  
pulmonary function studies in mitral stenosis before and after, 460  
rheumatic activity provoked by, 944
- Committee on Electrocardiography**, on standardization of electrocardiographic and vectorcardiographic leads, 564-572
- Compound F**, and atherogenesis, 240, 243
- Congestion**, of lung, arterial oxygen saturation and rales in, 81-82
- Conjunctiva**, bulbar, photography of smaller blood vessels in, 277-281
- Conner Memorial Lecture**, on atherosclerosis, 1-27
- Coronary sinus**, anastomosis of, with aorta, 940
- Contractility**  
myocardial, 84  
after Aramine, 90  
ventricular  
and carotid pressure, 736-740  
isometric, 777
- Coprosterol**, conversion of cholesterol into, 25
- Co-protein**, 14
- Coronary artery**  
aneurysm of, 621  
arteriosclerosis of, and turbidity of serum, 39  
atherogenesis in  
in cholesterol-fed hens, 251-254  
and estrogen, 247-250, 251-254  
atherosclerosis of, 603  
clinical diagnosis of, 621  
electrocardiogram in angina pectoris due to, 929-931  
and plasma lipid partition after heparin, 935  
serum lipoprotein in, 621  
blood flow in  
and left ventricular work



**Coronary artery (Cont'd)**

- before and after Aramine, 89-90
  - measurement of, using rate of myocardial nitrous oxide desaturation, 298
  - dilator of, 303
  - and angina, 454
  - disease of
    - acceleration ballistocardiography in, 625
    - cardiopexy for, 948
    - in chronic kidney insufficiency, 124
    - cryoglobulin in, 138
    - currents of injury in, 137
    - electrocardiogram in, 137
    - estrogen and plasma lipids in, 938
    - heart enlargement in, 939
    - and obesity, 953
    - plasma lipids in, 138
    - and work activity, 620
  - embolism in, in bacterial endocarditis, 133, 616
  - extramural, atherosclerosis in, 603
  - fat deposits in, due to dietary deficiency of lipotropic factors, 588
  - insufficiency of
    - arterial pressure in, after Aramine, 90
    - electrocardiographic diagnosis of, 624
    - and subendocardial ischemia of left ventricle, 293
  - intramural, atherosclerosis in, 603
  - lipid in wall of, 294
  - occlusion of, 136
    - heart enlargement in, 939
  - right, ligation of, 939
  - sclerosis of, and hypertension, 121
  - thrombosis of
    - after effort, 938
    - after trauma, 938
- Cor pulmonale**
- and beryllium poisoning, 131
  - in chronic pulmonary emphysema, 785
  - and mitral stenosis, 460
  - due to recurrent thromboembolism, 343-360
  - after unrecognized emboli to lungs, 950
- Corticoid**
- adrenal, and estrogen prophylaxis of cholesterol-induced coronary atherogenesis in chicks, 247-250
  - estrogen inhibition of hypertension due to, 896-900
- Corticotropin**
- and atherogenesis, 240, 243
  - and blood pressure, 240, 243
  - body water after, in rheumatic disease, 306
  - in cholesterol-fed chicks, 237-244
  - in congestive heart failure, 434-435
  - for edema, 435-437

- electrolyte after, in rheumatic disease, 306
  - and estrogen prophylaxis of cholesterol-induced coronary atherogenesis in chicks, 247-250
  - and lipid levels, 238-239
  - and plasma glucose, 238-239
  - for polyarteritis nodosa, 303
  - for prolonged bleeding time, 292
  - for rheumatic fever, 925
  - in rheumatic myocarditis, 761, 762
  - sodium retention due to potassium salts for prevention of, 625
- Cortisone**
- and atherogenesis, 240, 243
  - for berylliosis, 132
  - and blood pressure, 240, 243
  - in cholesterol-fed chicks, 237-244
  - estrogen inhibition of hypertension due to, 896-900
  - in experimental atherosclerosis, 598
  - and lipid levels, 238-239
  - and number of circulating basophils, 779
  - and number of circulating eosinophils, 779
  - and plasma glucose, 238-239
  - for prolonged bleeding time, 292
  - for rheumatic fever, 925
  - in rheumatic myocarditis, 761, 762
- Cor triatriatum**, 576
- Coughing**, syncope after, 469
- C-reactive protein**, in serum in rheumatic fever, 635
- "Crossed test,"** for hypertension, 626
- Cryoglobulin**, in coronary artery disease, 138
- Currents of injury**, in coronary artery disease, 137
- Cyanosis**
- in heart disease, 926, 927
  - in patent ductus arteriosus, 927
  - in tetralogy of Fallot, 926
- Cyclopropane**
- blood flow in muscle during anesthesia with, 298
  - and epinephrine, effect of ether on arrhythmia due to, 942
- Danilone**, vs. Dipaxin, 686, 687
- Decompensation**, Cardiac, thromboembolic complication after dehydration in, 936
- Decompression**, discontinuous, blood pressure after, 471
- Deafness**, bilateral, and non-syphilitic interstitial keratitis, 468
- Deflection**, intrinsicoid, standardization of, 569
- Degeneration**, fatty, of heart, 223-224
- Dehydration**
- and hypertension in bilaterally nephrectomized dog, 780
  - and thromboembolic complication in cardiac decompensation, 936
- Depolarization**, in ventricle, 137

- Desaturation**, myocardial nitrous oxide, in measurement of coronary blood flow, 298
- Desoxycorticosterone acetate**
- with ascorbic acid, in rheumatic disease, 635
  - estrogen inhibition of hypertension due to, 896-900
  - potassium depletion due to, 943
  - in pregnancy
    - electrolyte balance after, 142
    - hemodynamics after, 142
- Dextran**
- molecular size of, in plasma volume expansion, 786
  - effect of small infusions of, 944
- Dextran sulphate**, therapeutic trial of, synthetic analogue of, 632
- Diabetes mellitus**
- angiopathy in, 791
  - and lipid in coronary artery wall, 294
  - lipoproteins in, 14
  - serum polysaccharides in, 791
  - vascular bed of bulbar conjunctiva in, 280
  - vascular disease due to high vegetable-fat diet in, 593
- Diamox**, for congestive heart failure, 136, 455
- Diarrhea**, after cinchona alkaloids, 820
- Dibenzazepine**. See *Ilidar*
- Dibenzylamine**
- for arterial hypertension, 141
  - for arterial insufficiency in extremity, 366-372
  - for intermittent claudication, 371
  - for obliterative arteriosclerosis, 369
  - with gangrene, 369
  - for Raynaud's disease, 367-368, 371
  - for thromboangiitis obliterans, 368
- Dicumarol**
- vs. Dipaxin, 687
  - for myocardial infarction, control of therapy by prothrombin test, 691-697
  - poisoning due to, 474
  - in prevention of systemic arterial embolism in rheumatic heart disease, 517-525
  - therapy with, during major surgery, 213-219
- Diet**
- and atherosclerosis, 20-23
  - deficient
    - heart lesion due to, 602
    - vascular lesion due to, 602
  - and rate of regression of atherosclerosis, 597
  - of hypercholesterol, 597
  - and serum cholesterol, 20-21
- Diffusion coefficients**, of solutes in human aortic tissue, 607
- Digestion**, and angina pectoris, 938
- Digitalis**
- anorexia due to, 931
  - arrhythmia due to, 931
  - and electrocardiogram, 930

- errors in therapy with, 931  
 intoxication due to, 931  
 toxicity of, 931
- Digitalization**, adequate, 931
- Digitoxin**  
 in edema fluids, 630  
 radioactive, myocardium after exposure to, in vitro, 136  
 in therapy, 931
- Dihydrocholesterol**  
 absorbability of, 589  
 and atherosclerosis, 25
- Dihydrostreptomycin**, for enterococcal endocarditis, 180, 185, 190-191
- Dilator**, coronary, and angina, 454
- Diodrast**, death following, 945
- Dipaxin**, 685-689
- Diphenylhydantoin Sodium**, for ouabain-induced ventricular tachycardia, 65-70
- Diphosphate**, and Dipaxin-induced hypoprothrombinemia, 687
- Diphtheria**  
 heart disease after, 622  
 and myocarditis, 749  
 myocarditis after, 762
- Dipole**, effects on central terminal of eccentricity of, 544-562
- Disc**, cervical, pain due to degeneration of, 921
- Dissociation**, auriculoventricular, QRS complex in, 624
- Diuresis**  
 due to Diamox, 455  
 after isotonic saline solution, in seated subjects, 147  
 due to Mercuhydrin, 941  
 mercurial, 303, 677, 941  
 in congestive heart failure, 932  
 due to Neohydrin, 303, 941  
 due to Parephyllin, 941  
 water, and spontaneous anti-diuresis, 470
- Diverticulum**, epiphrenic, of esophagus, 471
- Dizziness**, after cinchona alkaloids, 821
- DMPP**, cardiovascular action of, 631
- Drainage**, pulmonary venous, complete anomalous, 785
- Duchosal-Sulzer system**, of vectorcardiography, 101-113
- Ductus arteriosus**, patent, 135  
 closure of, in healing of subacute bacterial endocarditis, 133  
 cyanosis in, 927  
 electrocardiogram in, 294, 506, 931  
 postoperative, 876-883  
 etiology of, 136  
 murmur in, 506-509, 926  
 phonocardiography in, 501-509  
 with pulmonary hypertension, 135  
 with reversal of blood flow corrected by surgery, 617  
 and vascular rings, 773
- Dyspnea**  
 in anemia, and chronic kidney disease, 122
- in chronic kidney insufficiency, 125  
 in differential diagnosis, 922
- Ebstein's malformation of tricuspid valve**, 576, 772
- Eclampsia-like syndrome**, Apresoline in, 473
- Edema**  
 cerebral, 325  
 in chronic kidney disease, 125  
 in congestive heart failure, hypertonic saline for, 629  
 in differential diagnosis, 922  
 digitoxin fluid of, 630  
 formation of, 430-431, 433, 673-678  
 with hyponatremia, 432-434  
 intractable, 148, 292, 431, 432, 435-437  
 of leg, and heart disease, 578  
 of lung  
 in differential diagnosis, 928  
 in heart failure with acute glomerulonephritis, 117  
 in kidney insufficiency, 124  
 rales and arterial oxygen saturation in, 81-82  
 tetraethylammonium bromide for, 628  
 nephrotic syndrome with, 124  
 resistant, 148, 292, 431, 432  
 corticotropin for, 435-437  
 sodium replacement in, 432-433  
 uremic, of lungs, 124
- Effort**, and coronary thrombosis, 938
- Effusion**  
 pericardial, 928  
 massive, 452, 628  
 pericarditis with, pneumopericardium for, 634  
 pleural, infrapulmonary, 954
- Egg**, dietary, and rheumatic fever, 944
- Eisenmenger's complex**, 927
- Electricity**, of tissue, in etiology of intravascular thrombosis, 292
- Electrocardiogram**  
 in acute glomerulonephritis, 115  
 in angina pectoris  
 due to coronary atherosclerosis, 929, 931  
 during therapy, 817-818  
 in atrial rupture, 226  
 in chronic kidney disease, 123  
 in coarctation of aorta, 139  
 in congestive heart failure, 930  
 in coronary artery disease, 137  
 in digitalis, 930  
 in differential diagnosis of heart disease, 928-931  
 dipole eccentricity of, 544-562  
 during endotracheal intubation, 295  
 in epidemic hemorrhagic fever, 855-858  
 errors in understanding of, 930  
 in funnel chest, 776  
 in glomerulonephritis, 115  
 and hiccup, 777  
 after Hydergine, 633  
 of infants less than one day old, 140
- in mitral insufficiency and stenosis, 209, 211  
 in myocarditis, 755-761  
 of newborn, 140  
 from one thousand young healthy aviators, ten year follow-up, 384-399, 411  
 in patent ductus arteriosus, 294, 506, 930  
 physical problems of, 776  
 postprandial changes in, 843-849  
 in potassium intoxication, 120  
 of scar on posterior wall, 777  
 simulating myocardial injury, 623  
 after smoking, 138  
 storage of, 295  
 in subacute endocarditis, 133  
 transmission of, 295  
 after trypsin administration, 334, 338-342  
 in Wolff-Parkinson-White syndrome, 286
- Electrocardiograph**, standardization of, 565
- Electrocardiography**  
 in aircrew selection, 401-412  
 in isolated valvular pulmonic stenosis, 163, 169  
 in localization of auricular myocardial damage, 140  
 nomenclature, standardization of, 568-570  
 in pulmonary embolism, 623  
 standardization of leads in, 565-570  
 techniques, standardization of, 566-568  
 and therapy, 930
- Electrokymogram**  
 atrial, in mitral regurgitation, 71-79  
 left auricular, in mitral insufficiency and stenosis, 209-210  
 left ventricular, after myocardial infarction, 138  
 in mitral stenosis, 945  
 in Wolff-Parkinson-White syndrome, 624
- Electrolyte**  
 balance, in congestive heart failure with kidney disease, 126  
 after corticotropin in rheumatic disease, 306  
 deficits in, in cardiovascular-renal disease, 430-441  
 disturbances of, in chronic kidney disease, 122-123  
 excretion of  
 after hexamethonium for hypertension, 297  
 during induced congestion of vena cava, 299  
 and kidney function, 470  
 after Neohydrin, 634  
 in plasma, after strophanthin, 787  
 urinary, Pitressin-induced excretion of, as function of water retention, 147  
 urinary, after strophanthin, 787
- Electrophoresis**  
 of blood proteins in myocardial infarction, 138

- Electrophoresis** (*Cont'd*)  
 paper in arteriosclerosis, 775
- Embolism**  
 arterial  
   Dicumarol prophylaxis for, 517-525  
   and mitral regurgitation, 208  
   prevention of, in rheumatic heart disease, 517-527  
   translumbar aortography in localizing of, 150  
 in coronary artery in bacterial endocarditis, 133, 616  
 in mitral stenosis with auricular fibrillation, 520-521  
 mycotic aneurysm due to, 791  
 paradoxical, 466  
 peripheral, artificial, 790  
 pulmonary  
   complicating trypsin therapy, 950  
   diagnosis of, 928  
   in differential diagnosis 930  
   electrocardiographic alterations in, 623  
   unrecognized, cor pulmonale after, 950
- Emesis**, after ouabain, 66
- Emotion**  
 and the heart in chronic kidney disease, 126  
 and kidney function, 142
- Emphysema**, pulmonary  
 aerosol dilator for, 787  
 chronic, and arterial hypoxia, 785  
 and heart failure, 578  
 positive-pressure breathing for, 787  
 respiratory work in, 794
- Encephalomyocarditis**, virus, 751
- Endocarditis**  
 bacterial  
   anemia in, 133  
   antibiotic therapy of, 173-191, 761, 763  
   coronary embolism in, 133, 616  
   diagnosis of, 926  
   embolic mycotic aneurysm in, 791  
   and mural thrombi in heart, 525-525  
   treatment, 762, 933  
 enterococcal, penicillin for, 63  
 subacute bacterial  
   electrocardiogram in, 133  
   in penicillin-sensitive patient, 616  
   Q waves in, 772  
   spontaneous healing of, 133  
   subacute enterococcal, antibiotic therapy of, 173-191
- Endocardium**, thrombi in, and bacterial endocarditis, 524-525
- Enterococcus**  
 endocarditis due to, streptomycin for, 63  
 subacute endocarditis due to, antibiotic therapy of, 173-191
- Enzyme**  
 clinical applications of, 792
- of Krebs cycle, in human aortic tissue, 607  
 in lipid metabolism, 8-9
- Eosinophil**, circulating, after cortisone, 779
- Epinephrine**  
 aortic sclerosis due to, 609  
 and aureomycin, arrhythmia due to, 941  
 and Benodaine, 647  
 and cardiac effects of ether, 786  
 and cardiac excitability, 466  
 chemical quantitation of, in patients with pheochromocytoma, 641-651  
 and cyclopropane, effect of ether on arrhythmia due to, 942  
 deficient release of, in postural hypotension, 299  
 kidney hemodynamics after, 627  
 papillary muscle response to, 633  
 in pheochromocytoma, 649-650  
 and Regitine, 647  
 sensitivity to, of blood vessels after sympathectomy, 462  
 in tolerance to prolonged ganglionic blockade, 891
- Ergot**, dihydrogenated alkaloid of. *See* Hydergine
- Erythrocyte**. *See* Red blood cell
- Erythromycin**, for enterococcal endocarditis, 179, 186-187
- Esophagogram**, auricular, in mitral insufficiency, 209
- Esophagus**  
 disease of, and pulmonary changes, 954  
 epiphrenic diverticulum of, 471  
 hemorrhage due to rupture of aortic aneurysm into, 466  
 pulse in, in mitral valve disease, 954  
 spasm of, pain due to, 921  
 varices in, due to malformation of portal venous system, 936
- Estrogen**  
 and atherogenesis, 25  
 coronary, 247-250, 251-254  
 and hyperlipemia, 25  
 in inhibition of corticoid hypertension, 896-900  
 long-term, and serum lipoprotein levels in hypercholesterolemia, 587  
 and plasma lipids in coronary artery disease, 938  
 and rate of regression of atherosclerosis, 597  
 of hypercholesterolemia, 597  
 as therapy in males under fifty years of age with previous single myocardial infarction, 587
- Ethaverine**, for angina pectoris, 303
- Ether**, 786, 942
- Etylon**  
 for cardiac asthma, 628  
 for pulmonary edema, 628
- Exchange resin**  
 cation, 149  
 sodium-removing activity of, 302  
 ion, for anuria, 456
- Exercise**  
 ballistocardiogram after, in coronary artery disease, 139  
 blood pressure response to, after atropine sulphate, 417  
 and hexamethonium chloride, in essential hypertension, 637
- Exertion**, atrial rupture associated with, 225, 226
- Extrasystole**, ventricular, in five thousand healthy adult males, 409
- Extremity**  
 lower, venous insufficiency of, 465  
 malformations of, in congenital heart disease, 936  
*See also* Leg; Limb
- Eye**, and Hyphex for hypertension, 325
- Fainting**  
 after atropine sulphate, 415, 419, 426  
 after coughing, 469  
 differential diagnosis of, 924
- Fallot's pentalogy**, 617
- Fallot's tetralogy**, 617  
 anatomic variations in, 619  
 cyanosis in, 926  
 differential diagnosis of, 926, 927
- Fat**  
 animal, and plasma lipids, 593  
 in coronary artery, due to dietary deficiency of lipotropic factors, 588  
 dietary, and blood cholesterol, 21-22  
 neutral  
   and hypercholesterolemia, 610  
   and hyperphospholipemia, 610  
   in lipoproteins, 9-11  
 subcutaneous, necrosis of, in infant after induced hypothermia, 636  
 tolerance for, and serum lipid, 742-746
- Fatty acid**  
 absorption of, and chylomicrons, 953  
 in serum  
   in atherosclerosis, 745  
   in obesity, 745
- Ferritin**, and mortality due to tourniquet shock in mice, 470
- Fetus**  
 of lamb, homeostatic regulation of resting heart rate in, 953  
 risk to, from rubella during pregnancy, 135
- Fever**  
 due to hydralazine, 943  
 due to Ilidar, 377  
 and joint pains, case history, 129-132  
 in myocarditis, 754  
 as sign of quinidine toxicity, 631
- Fiber block**, 294

**Fibrillation**

- auricular**
  - chronic conversion of, 924
  - conversion of, to normal sinus rhythm, 521, 924
  - diagnosis of, 923-924
  - hyperactive carotid sinus reflex in, 146
  - with mitral stenosis and embolism, 520-521
  - and mural thrombi in bacterial endocarditis, 525
  - T wave in, 294
- ventricular**
  - in hypothermic dog, 721-726
  - and potassium, 721-722, 723-726
  - prostagline inhibition of, 721-726

**Fibrinogen**

- concentration of, in acute myocardial infarction, 938
- conversion of, to fibrin, 935

**Fibroelastosis**, in infancy, and adult-type coarctation of aorta, 936**Fibrosis**

- intimal, of pulmonary artery in lymphangitis carcinoma, 356-359
- myocardial, definition, 750

**Fiedler's myocarditis**, 751, 753, 757, 761**Finger**, familial clubbing of, 634**Fistula**

- arteriovenous, acquired, 934
- distal aortopulmonary, murmur of, 507
- pulmonary arteriovenous, in siblings, 636
- systemic arteriovenous, and heart failure, 577

**Fitlmenadione**, and Dipaxin-induced hypoprothrombinemia, 687**Fluid**, from cantharides blister in rheumatic fever, 459**Flush**, due to atropine, 419**Flutter**

- auricular**
  - diagnosis of, 624, 924
  - spontaneous, 298
  - T wave in, 294

**Foramen ovale**, patent, and inter-ventricular septal defect, 530**Foster-Balthazar murmur**, 458**Foster's rule**, 458**Frostbite**, effect of alcohol on vasoconstriction due to, 469**Fundus**, ocular, and Hypyph for hypertension, 325**Funnel chest**, electrocardiographic alterations in, 776**Gall bladder disease**, pain in, 921**Gallop rhythm**

- in differential diagnosis, 922-923
- in myocarditis, 753

**Ganglion**

- block of
  - due to atropine, 427
  - tolerance to, 887-894

- sympathetic, DMPP stimulation of, 631

**Ganglionectomy**, celiac, for hypertension, 144**Gangrene**, with obliterative arteriosclerosis, Dibenzyline for, 369**Gastrointestinal tract**, disturbances of, due to lldar, 377**Gitain**, for congestive heart failure, 620, 774**Globulin**

- beta, in vascular disease, 18-19
- in serum, 95
- of professional blood donors, 98

**Glomerular filtration rate**, and edema formation, 674-675, 678**Glomerulonephritis**

- acute**
  - electrocardiographic abnormalities in, 115
  - heart in, 114-118
  - hypertension in, 115, 117-118
  - and myocardium, 115, 116
  - with periarteritis nodosa, 787
  - nephrotic syndrome of, 124

**Glucose**, in plasma

- after corticotropin in cholesterol-fed chicks, 238-239

- after cortisone in cholesterol-fed chicks, 238-239

- after hydrocortisone in cholesterol-fed chicks, 238-239

**Glycosuria**, due to cortisone for berylliosis, 132**Gold**, radioactive, intrapericardial, 955**Gradient**, ventricular, in myocardial infarction, 622**Graft**

- aortic**
  - electrical potential differences across, 453
  - as replacement for resection of abdominal aorta, 307
  - as replacement for resection of acquired coarctation of aorta, 307

- arterial, homologous, 462

**Granulomata**, in myocardium, 751**Grishman-Scherlis system**, of vectorcardiography, 101-113**Hand**, in cardiological diagnosis, 458**Head**, arteriovenous malformations of, 467**Heart**

- acetylcholine in, 942

- active rheumatic lesions in, 306

- in acute glomerulonephritis, 114-118

- in acute kidney failure, 118-121

- in amyloidosis, 575

- aneurysm of, 937

- anomalous complex of, due to endocardial cushion defect, 136

- architectonics, 300

- arrest, 147

- intracardiac puncture in, 306

- multiple episodes of, 306

- prevention of, 947

- treatment of, 947

- by-pass of, with oxygenator pump, 949

- cold-blooded, after aconitine, 939

- contractile power of, 667, 669

- death due to air in, 307

- depolarization potentials in, 137

- disability of, due to strain, 953

- electrocardiographic position of

- after surgical correction of coarctation of aorta, 872, 881

- after surgical correction of patent ductus arteriosus, 877

- after valvulotomy in pulmonary stenosis, 863

- enlargement of, 667, 668

- in acute glomerulonephritis, 115

- and cardiac reserve, 670

- in chronic kidney disease, 122

- in coronary artery disease, 939

- in coronary occlusion, 939

- in hypertension, 939

- in myocarditis, 753

- after surgical correction of patent ductus arteriosus, 880-881, 882

- after valvulotomy in pulmonary stenosis, 865-866

- excitability of

- and epinephrine, 456

- and norepinephrine, 456

- fatty degeneration of, atrial rupture after, 223-224

- in glomerulonephritis, 114-118

- hemochromatosis of, 453

- hypothermia for surgery on, 464

- inadequate compensating mechanism of, 671

- incompetent, 663-665

- mechanical efficiency of, 672-673

- insufficiency of, in myocarditis, 753

- in kidney disease, 114-127

- lesions of, due to deficient diets, 602

- in lymphoma, malignant, 150

- mechanical, 948

- in production and repair of interatrial septal defect, 946

- in miliary tuberculosis, 630

- motionless, 630

- mural thrombi in, and bacterial endocarditis, 524-525

- necrosis of, due to dietary deficiency of lipotropic factors, 538

- posterior wall of, electrocardiographic diagnosis of scar on, 777

- reserve, 669-671

- rupture of, with dissecting aneurysm, 469

- shock due to obstruction of venous return to, 784

- size of

- after surgical correction of patent ductus arteriosus, 880

- after valvuloplasty for isolated valvular pulmonic stenosis, 164



**Heart** (*Cont'd*)

- after valvulotomy in pulmonary stenosis, 865-866
- stress on, 667
- surgery of, hypothermia for, 464
- thrombosis in, in myocarditis, 754
- in thrombotic thrombocytopenic purpura, 49-50
- tumor of, rupture associated with, 225
- weight of, and hepatitis, 512
- Heart block**, in five thousand healthy adult males, 408
- See also* Block
- changes in incidence of, 472
- changes in types of, 472
- chest microfilms in discovery of, 150
- and chest pain, 920-921
- congenital
  - atriogram in, 295
  - diagnosis of, 926-927
  - and malformations of extremities, 936
  - phonocardiography in, 304
  - postoperative electrocardiogram in, 871-883
  - postvalvulotomy electrocardiogram in, 859-868
  - pulmonary hypertension in, 773
  - pulmonary tuberculosis in, 618
  - P waves in, 295
  - unusual forms of, 576
- coronary
  - acceleration ballistocardiography in, 625
  - in Italy, 606
  - and work activity, 620
- cyanosis in, 926, 927
- diphtheritic, 622
- and edema of leg, 578
- errors in recognition and treatment of, 920-932
- and murmur, 926
- postoperative electrocardiogram in, 859-868, 871-883
- recognition of, 920-932
- rheumatic
  - diagnosis of, 924-926
  - in pregnancy, 944
  - prevention of systemic arterial embolism in, 517-525
  - treatment of, 920-932
  - unusual forms of, 574-578
- valvular, atrial rupture associated with, 224
- Heart failure**
  - in acute glomerulonephritis, 115-117
  - in acute kidney failure, 118-120
  - and beriberi, 576
  - in children, 923
  - circulatory failure due to, 662-664, 672
  - congestive, 663, 664
  - in acute kidney failure, 118-120
  - antibiotic prophylaxis in, 619
  - carbonic anhydrase inhibitor in, 136
  - in chronic kidney disease, 122, 125-126
  - in chronic pulmonary emphysema, 785

- corticotropin in, 434-435
- diagnosis of, 921-923
- Diamox in, 136, 455
- effect of, on blood volume, 902-910
- in elderly, 774
- electrocardiogram in, 930
- Gitalin for, 620, 774
- kidney function in, 125
- plasma volume in, 905-910
- red cell mass in, 905-910
- treatment of edema in, 629
- treatment of hyponatremia in, 629
- due to constrictive pericarditis, 928
- depression symptoms in, 619
- edema formation in, 673-678
- and emphysema, 578
- forward and edema formation, 674
- and glomerulonephritis, 115-117
- and hemochromatosis, 576
- high output, 663-664
- and kidney disease, 118-120, 122, 125-126
- low output, 663-664
- mechanism of, Mary Scott Newbold Lecture, 663-678
- Newbold Lecture, 663-678
- and Paget's disease, 577-578
- right ventricular, in recurrent thromboembolism, 355
- and systemic arteriovenous fistula, 577
- Heart force**, circulatory changes affecting strain gauge arch measurement of, 145
- Heart rate**
  - during ageing of rats, 140
  - and cardiac reserve, 670
  - resting, homeostatic regulation of, in fetal lambs, 953
  - after surgical correction of coarctation of aorta, 872
  - of patent ductus arteriosus, 877
  - of pulmonary stenosis, 862
- Heart sound**
  - first, 943
  - in myocarditis, 753
- Hemangioma**, and thrombocytopenic purpura in infants, 468
- Hemochromatosis**
  - of heart, 453
  - and heart failure, 576
- Hemodynamics**
  - atrial, 527-534
  - in mitral stenosis, 460
  - cerebral, in toxemia of pregnancy, 631
  - after continuous intravenous Neo-Synephrine, 147
  - after desoxycorticosterone acetate administration in pregnancy, 142
  - after hexamethonium, 779
  - after hydrazinophthalazine, 457
  - in isolated valvular pulmonic stenosis, 164-166
  - of kidney
    - after epinephrine, 627
    - during induced congestion of vena cava, 299
- after norepinephrine, 627
- in pregnancy with toxemia and hypertension, 143
- in sickle cell anemia, 653
- Hemopericardium**, associated with anticoagulant therapy, 134
- Hemoptysis**, recurrent, with acute glomerulo-nephritis and periarthritis nodosa, 787
- Hemorrhage**
  - cerebral, in hepatitis, 512
  - due to Dicumarol therapy during surgery, 218
  - gastrointestinal, due to rupture of aortic aneurysm into esophagus, 466
  - liver blood flow after, 145
  - kidney blood flow after, 145
  - shock due to
    - intra-arterial transfusion for, 473
    - intravenous transfusion for, 473
- Hemorrhagic fever**, epidemic, electrocardiographic findings in, 855-858
- Heparin**
  - for angina pectoris, 775
  - and arteriovenous oxygen differences in atherosclerosis, 604
  - and atherosclerosis in cholesterol-fed rabbits, 590
  - in atherogenesis, 14-15
  - clearing of lipemic plasma by, 134
  - and electrophoresis of lipoprotein in hypercholesterolemia, 935
  - in essential hyperlipemia, 255-263
  - and fatty liver in cholesterol-fed rabbits, 590
  - and intermittent claudication, 134
  - and lipoprotein fractions, 11, 14-15
  - long-term, and serum lipoprotein levels in hypercholesterolemia, 587
  - in plasma, and serum low density lipoproteins, 604
  - and postalbumin chylomicro-nemia, 134
  - serum lipid response to, in essential hyperlipemia, 255-263
  - synthetic analogue of, 632
- Hepatitis**
  - and alleviation of hypertension, 513-514
  - and blood pressure, 513
  - cerebral hemorrhage in, 512
  - and heart weight, 512
  - hypertension in, 511-515
- Heredity**
  - in atherosclerosis, 19
  - in susceptibility to rheumatic fever, 699-703
- Hernia**, hiatal, pain due to, 921
- Herniation**, of left auricle, 618
- Hexamethonium**
  - and Apresoline for hypertension, 626
  - blood flow after, 889-891



- and blood pressure, 888-889, 942  
cardiac catheterization after  
pressure reduction due to, 780  
for dissecting aortic aneurysm, 951  
cerebral circulation after in  
hypertension, 296  
in essential hypertension, 627  
hemodynamic effects of, 779  
in normotensive man, 451  
for hypertension, 141, 296, 297, 626  
lung-changes during, 782  
and 1-hydrazinophthalazine. *See* Hyphex  
in polyvinylpyrrolidone, 456  
salts of, in orthopedic surgery, 943  
tolerance to prolonged gangli-  
onic blockade with, 887-894  
**Hiccup**, and electrocardiogram, 777  
**Homeostasis**, in regulation of resting heart rate in fetal lambs, 953  
**Homograft**  
aortic  
with homologous aortic graft replacement, 307  
as replacement for resection of acquired coarctation of aorta, 307  
arterial  
bank for, 952  
in thoracic aorta of growing pigs, 465  
in treatment of aneurysm of abdominal aorta, 463  
**Hospital**, admission policy of, and mortality rates in myocardial infarction, 620  
**Hyaluronidase**, in experimental atherosclerosis, 598  
**Hydergine**, and cerebral hemodynamics in toxemia of pregnancy, 631  
electrocardiogram after, 633  
for essential hypertension, 144  
**Hydralazine**  
for hypertension, 141  
prolonged, 943  
**Hydration**, and hypertension in bilaterally nephrectomized dog, 780  
**Hydrazinophthalazine**  
for hypertension in acute glomerulo-nephritis, 118  
in pregnancy, 457  
toxic effects of, 941  
*See also* Apresoline  
**Hydrocortisone**  
and atherogenesis, 240, 243  
and blood pressure, 240, 243  
in cholesterol-fed chicks, 237-244  
hyperglycemia after, in cholesterol-fed cockerels, 238  
and lipid levels, 238-239  
locally-administered, for rheumatic disease, 635  
and plasma glucose, 238-239  
**Hydroxytyramine**, in pheochromocytoma, 650  
**Hyperbetaglobulinemia**, 19  
**Hyperbetalipoproteinemia**, 18-19  
**Hypercholesterolemia**  
electrophoresis of lipoproteins after heparin in, 935  
endogenous, effect of brain extract on, 606  
familial, low density lipoproteins vs. serum cholesterol in, 608  
and hypothyroidism, 24  
idiopathic, 19  
genetic aspects of, 600  
lipoprotein pattern in, 13  
mild, and production of atherosclerosis in areas of vascular injury, 613  
in monkeys, 603  
rate of regression of, 597  
**Hyperglycemia**, after hydrocortisone in cholesterol-fed cockerels, 238  
**Hyperkalemia**, intoxication due to, in acute kidney failure, 119-120  
**Hyperlipemia**  
essential  
cardiovascular status in, 255-263  
heparin in, 255-263  
and premature atherosclerosis, 611  
and hypoproteinemia, 18  
and neutral fat, 610  
and plant sterols, 610  
primary, and plasma lipid partition after heparin, 935  
production of, by a high fat, cholesterol-free diet, 592  
and serum phospholipids, 745  
transient, after intravenous injection of colloidal solutions, 597  
**Hyperphospholipemia**  
and neutral fat, 610  
and plant sterols, 610  
**Hyperpnea**, in chronic kidney insufficiency, 123  
**Hypertensinase**, 514  
**Hypertensinogen**, 514  
**Hypertension**  
accelerated phase of, 28-29  
in acute glomerulonephritis, 115, 117-118  
in acute nephritis, Veriloid for, 144  
adrenal resection for, 780  
bilateral, 782  
alleviation of after development of hepatitis, 513  
Apresoline for, 141, 626, 779  
with hexamethonium, 626  
with Priscoline, 626  
arterial  
Apresoline for, 141  
Dibenzylamine for, 141  
and arteriosclerosis, 352-355  
Apresoline for, 779  
kidney function in, 142  
due to splanchnic nerve stimulation, 142  
atheromatous, 614  
bilateral adrenalectomy for, 782  
blood pressure in after McN-181, 780  
and body fluids in bilaterally nephrectomized dog, 780  
celiac ganglionectomy for, 144  
cerebral circulation in, 790-791  
due to chronic sodium chloride toxicity, 296  
cinchona alkaloids for, 626  
and coronary arteriosclerosis, 121  
corticoid, estrogen inhibition of, 896-900  
"crossed test" for, 626  
effect of emotion on kidney function in, 142  
essential, 141  
cerebral blood flow in, before and after adrenalectomy, 781  
cerebral oxygen consumption in, 781  
hexamethonium chloride for, 627  
Hydergine for, 144  
in glomerulonephritis, 115, 117-118  
heart enlargement in, in coronary artery disease, 939  
in hepatitis, 511-515  
hexamethonium for, 141, 296, 297  
lung changes during, 782  
hydralazine for, 141  
hyphex for, 321-330  
in kidney disease chronic, 121-122  
lipoprotein in, 12-13  
and liver atrophy, subchronic, 511-515  
and liver function, 511-515  
malignant, 28-29, 121, 781  
with renal artery occlusions, 143  
urethral apoplexy in, 627  
in Negro, 776  
Neogermine for, 143  
in nephritis, 144  
and obesity, 953  
parabiotic, 142  
phrenic, 625  
physiological properties of, 297  
postemphysematous, 625  
in pregnancy, 782  
with toxemia, 143, 144  
Protoveratrine for, 143  
pulmonary, 783  
and berylliosis mistaken for rheumatic fever, 129  
in congenital heart disease, 773  
idiopathic, 577  
pain in, 921  
and patent ductus arteriosus, 135  
primary, 955  
secondary, 955  
quinidine for, 626  
quinine for, 626  
renal  
due to obstruction of common bile duct, 144  
after reduction of renal artery pulse pressure without reducing mean pressure, 142  
serum protein - bound iodine fractions in, 715

- Hypertension** (*Cont'd*)  
 and sodium chloride toxemia, 616  
 splanchnicectomy for, 144  
 sympathectomy for, 144, 780  
 systemic, pulmonary vascular tree changes in, 806  
 and temperature extremes, 781  
 tests for, 626  
 in toxemia of pregnancy  
   Apresoline, 143  
   Arfonad in, 143  
   kidney hemodynamics in, 143  
   spinal anesthesia in, 143  
   veratrum alkaloid in, 144  
 treatment of, 297, 627  
 urinary sodium output after acute salt loads in, 912-918  
 and venous congestion of limbs, before and after splanchnicectomy, 296
- Hyperthyroidism**  
 acetate turnover in, 595  
 lipid synthesis in, 595
- Hypertrophy**, ventricular  
 left, 929  
   spatial vectorcardiogram in, 728-734  
   right, 929
- Hyperventilation**, in postural hypotension, 362-364
- Hypervolemia**, natrigenic, 116
- Hyphex** for hypertension, 321-330
- Hypoplasia**, of aorta, 618
- Hyponatremia**  
 in congestive heart failure, hypertonically saline for, 629  
 and edema, 432-434
- Hypotension**  
 arterial, after Aramine in coronary insufficiency, 90  
 controlled, for large blood vessel surgery, 952  
 postural  
   with deficient release of epinephrine and norepinephrine, 299  
   hyperventilation in, 362-364  
   due to lidar, 377  
   induced by atropine sulfate, 413-421, 423-428  
   vascular dynamics in, 452  
   due to Veriloid, 633
- Hypothermia**  
 cerebral effects of, 794  
 cessation of circulation in, 305  
 induced, subcutaneous fat necrosis in infant after, 636  
 for intracardiac surgery, 464  
 myocardial function in, 947  
 and ventricular fibrillation in dog, 721-726
- Hypothyroidism**  
 acetate turnover in, 595  
 and hypercholesterolemia, 24  
 lipid synthesis in, 595  
 serum albumin in, 95-97  
 serum globulin in, 95-97  
 serum protein - bound iodine fractions in, 715
- Hypoxemia**, arterial, in chronic pulmonary emphysema, 785
- Hypoxia**, acute, 150
- Lidar**, 374-383  
 side reactions, 377-379
- India ink**, injection of  
 with excess cholesterol, 495-498  
 liver deposition of cholesterol after, 494-495  
 and mast cell function, 498-499
- Infant**  
 electrocardiogram of, 140  
 fibroelastosis in, and adult-type coarctation of aorta, 936  
 heart tumor in, 787  
 primary myocardial disease in, 300  
 subcutaneous fat necrosis in, after induced hypothermia, 636  
 thrombocytopenia and hemangioma in, 468
- Infarction**  
 atrial, and atrial rupture, 223  
 myocardial  
   blood proteins in, 138  
   in chronic kidney disease, 124-125  
   control of Dicumarol therapy in, by blood prothrombin test, 691-697  
   electrocardiographic recognition of, 929  
   electrophoresis in, 939  
   estrogen therapy for, in males under fifty years of age, 587  
   fibrinogen concentration in, 938  
   left ventricular ejection delay, 138  
   and mesomorphy, 19  
   mortality rates in, 293, 620  
   in Negro, 776  
   norepinephrine for shock in, 303  
   and plasma cholesterol, 13  
   quantitative estimation of severity of, 793  
   serum albumin in, 96, 97  
   serum globulin in, 96, 97  
   severity of, 293, 793  
   and shock, 303, 775  
   survival rates in, and coagulant therapy, 621  
   T wave in, 829-841, 929  
   ventricular gradient in, 622
- Injury currents**, in coronary artery disease, 137
- Inositol**, and angina pectoris, 588
- Insufficiency**  
 arterial  
   adrenergic blocking for, 366-372  
   Dibenzylamine for, 366-372  
   in extremities, 366-372  
 coronary  
   arterial pressure in, after Aramine, 90  
   electrocardiographic diagnosis of, 624  
   and subendocardial ischemia of left ventricle, 293  
 of kidney, 114  
   anemia in, 122  
   uremic pericarditis in, 123  
 mitral  
   atrial electrokymogram in, 71-79  
   auricular esophagogram in, 209
- ballistocardiogram in, 210  
 left auricular electrokymogram in, 209-210  
 with mitral stenosis, 207-211  
 surgical treatment of, 945  
 wedge pressure in, 209  
 myocardial, 753  
   and pulsus alternans, 923  
 tricuspid, 461, 923  
 venous, of lower extremity, 465
- Intoxication**  
 due to digitalis, 931  
 due to potassium  
   in acute kidney failure, 119-120  
   electrocardiographic changes in, 120  
   pain due to in Kimmelstiel-Wilson syndrome, 304
- Intrinsicoid deflection** after surgical correction  
 of coarctation of aorta, 874-875, 881-882  
 of patent ductus arteriosus, 879  
 of pulmonary stenosis, 864, 869
- Intubation**, endotracheal, electrocardiogram during, 295
- Iodide**  
 in atherogenesis, 23-24  
 oral, and butanol-insoluble protein-bound iodine, 714-720
- Iodine**  
 butanol - insoluble protein bound, and oral iodide, 714-720  
 and plasma lipids, 23-24  
 protein-bound, in cholesterol metabolism, 24  
 radioactive, myxedema induced by, 620
- Ion exchange resin**, sodium-moving activity of, 302
- Iron**, in early atherosclerotic plaques, 609
- Irradiation**, ultrasonic, human skeletal muscle after, 297
- Ischemia**  
 myocardial, and T wave inversion, 829-841  
 subendocardial, and coronary insufficiency, 293
- Jaundice**, due to methyltestosterone, 586
- J junction**  
 in left ventricular hypertrophy, 731  
 in myocarditis, 759
- Joint pain**, and fever, case history, 129-132
- Jugular vein**, systolic pulsation of, 923
- Keratitis**, nonsyphilitic interstitial, and bilateral deafness, 468
- Khelltron**, for angina pectoris, 633
- Kidney**  
 acute failure of  
   heart in, 118-121  
   potassium intoxication in, 119-120  
 blood flow in  
   after hemorrhage, 145  
   and toxemia of pregnancy, 145

- chronic disease of  
 acidosis in, 122-123  
 anemia in, 122  
 angina pectoris in, 124  
 congestive heart failure in, 125-126  
 coronary failure in, 124  
 electrocardiographic abnormalities in, 123  
 electrolyte disturbance in, 122-123  
 and emotion, 126  
 heart in, 121-126  
 hypertension in, 121-122  
 myocardial infarction in, 124-125  
 renal function in, 121  
 shock in, 124-125
- chronic insufficiency of  
 anemia in, 122  
 dyspnea in, 125  
 edema in, 125  
 electrolyte balance in, 126  
 uremic edema of lung in, 124  
 uremic pericarditis in, 123  
 disease of, and heart disease, 114-127  
 function of  
 after application of leg tourniquet, 300  
 during arterial hypertension, 142  
 in chronic renal disease, 121  
 in congestive heart failure, 125  
 and electrolyte excretion, 470  
 effect of emotion on, 142  
 after hexamethonium for hypertension, 297  
 after Hyphex for hypertension, 326  
 impaired, 114  
 normal, 114
- hemodynamics of  
 after epinephrine, 627  
 after hexamethonium for hypertension, 297  
 during induced congestion of vena cava, 299  
 after norepinephrine, 627  
 in pregnancy with toxemia and hypertension, 143
- insufficiency of, 114  
 lesion of, and sodium chloride toxicity, 616  
 plasma flow, and edema formation, 674-675, 678  
 polycystic disease of, and pregnancy, 794  
 in thrombotic thrombocytopenic purpura, 49
- Kimmelstiel - Wilson syndrome**, pain caused by potassium intoxication in, 304
- Konaktion**, and Dipaxin-induced hypoprothrombinemia, 687
- Korotkoff sounds**, 488, 489
- Krebs cycle**, enzymes of, in human aortic tissue, 607
- Kussmaul breathing**, in chronic kidney insufficiency, 123
- Laënnec's cirrhosis**, cardiac output in, at rest, 452
- Lamb, fetus, homeostatic regulation** of resting heart rate in, 953
- Lanatoside C**, lethal dose of, and potassium depletion, 943
- Laryngoscopy**, after thiopental sodium anesthesia, 295
- Lead**  
 bipolar extremity standardization of, 566  
 electrocardiographic standardization of, 565-570  
 left intracavity, 624  
 precordial  
 in one thousand young healthy aviators at ten year follow up, 396  
 preponderance in, 624  
 standardization of, 567  
 unipolar esophageal, standardization of, 567-568  
 unipolar extremity, standardization of, 566-567  
 vectorcardiographic, standardization of, 564
- Lecithin**, and atherosclerosis, 25
- Lecithinase**, in determination of stability of serum lipoprotein, 31-40
- Leg**  
 application of tourniquet to and cardiac output, 300  
 and kidney function, 300  
 edema of, and heart disease, 578  
 in vascular pooling associated with atropinization, 426  
 See also Extremity; Limb
- Leukocytosis**, in myocarditis, 754
- Levoarterenol**, vs. levoepinephrine, 633
- Levoepinephrine**, vs. levoarterenol, 633
- Levophed**, for shock in myocardial infarction, 303
- Ligation**, proximal, for aneurysm of internal carotid artery, 789
- Limb**, venous congestion of, in hypertensives before and after splanchnicectomy, 296  
 See also Extremity; Leg
- Lipase**, lipoprotein, 591
- Lipemia**  
 clearing factor, 590  
 hemorrhagic, and production of clearing factor, 611  
 postprandial  
 and atherosclerosis, 742-746  
 and obesity, 742-746
- Lipid**  
 in blood  
 in atherosclerosis, 273, 585  
 after estrogen, 25  
 and hypoproteinemia, 18  
 non-dietary influences, 23-26  
 in coronary artery wall  
 diabetic, 294  
 non-diabetic, 294  
 levels of  
 after corticotropin in cholesterol-fed chick, 238-239  
 after cortisone in cholesterol-fed chicks, 238-239  
 after hydrocortisone in cholesterol-fed chicks, 238-239  
 metabolism of  
 coenzyme-A in, 8-9  
 enzyme in, 8-9  
 in myxedema, 471  
 in plasma  
 and arterial wall, 614  
 in cholesterol-fed egg-producing hens, 251  
 in coronary artery disease, 138  
 after dietary animal fat, 593  
 after dietary vegetable fat, 593  
 and estrogens in coronary artery disease, 938  
 heparin in clearing of, 134  
 after iodine administration, 23-24  
 and vessel wall lipid, 3  
 wettability of, 6  
 in serum  
 in angina pectoris, 588  
 in atherosclerotic males, 585  
 after dl-methionine, 788  
 fat tolerance, 742-746  
 in normal males, 585  
 partition of, after heparin, 935  
 and protein fractions, 94-99  
 after sitosterol, 590  
 synthesis of  
 in hyperthyroidism, 595  
 in hypothyroidism, 595  
 normal, 595  
 in vessel wall, and plasma lipid, 3
- Lipoid**, infiltration of aorta by, after high fat, cholesterol-free diet, 592
- Lipoprotein**  
 and atherosclerosis, 11-12  
 alpha, nature of, 9-10  
 beta  
 in blood, in vascular disease, 18-19  
 cholesterol in, 17-18  
 nature of, 9-10  
 protein of, 596  
 electrophoresis of, after heparin in hypercholesterolemia, 835  
 fractions of, after heparin, 11  
 in hypertension, 12-13  
 interconversions of, 9, 11  
 lipase, 591  
 low density  
 and plasma heparin, 604  
 vs. serum cholesterol in familial hypercholesterolemia, 608  
 nature of, 9-11  
 neutral fat in, 9, 11  
 patterns of  
 abnormal, 11-14  
 after heparin, 14-15  
 after plant sterol administration, 589  
 in plasma  
 in atherogenesis, 6  
 phospholipids of, 615  
 profile of  
 normal, 602  
 pathologic, 602  
 protein in, 9  
 in serum  
 in atherosclerosis, 30-40  
 in coronary atherosclerosis, 621  
 in Italy, 606

**Lipoprotein** (*Cont'd*)

- after long-term estrogen administration in hypercholesterolemia, 587
  - after long-term heparin administration in hypercholesterolemia, 587
  - with pattern characteristic of biliary obstruction, 586
  - and plasma heparin, 604
  - postmortem studies in, 605
  - stability of, in atherosclerosis, 30-40
  - S<sub>1</sub> 12-20, in atherogenesis, 11
  - S<sub>2</sub> 20-100, in atherogenesis, 11
  - ultracentrifugal measurement of, 10
  - and in vitro exchange of phospholipid phosphorus, 603
- Lipotropic factor**, deficiency of, and cardiovascular damage, 588

**Liver**

- atrophy of, subchronic, 511-515
- blood flow in, after hemorrhage, 145
- cholesterol in, after iodine administration, 23
- cholesterol synthesis by dietary influences on, 612
- hormonal influences on, 612
- cirrhosis of, lipoprotein pattern in, 13
- fatty, after heparin in cholesterol-fed rabbit, 590
- function of, and hypertension, 511-515
- in plasma cholesterol metabolism, 7
- reticuloendothelial cells of in cholesterol disposition, 492-494
- in cholesterol deposition, after India ink rejection, 494-495
- in cholesterol synthesis, 491-492
- in sterol metabolism, 7
- subchronic atrophy of, hypertension in, 511-515

**Lobectomy**, and mitral valvotomy, 789**Lung**

- atelectatic, circulation through, 630
- by-pass of, with oxygenator pump, 949
- changes in
  - due to chronic left ventricular failure, 801-807
  - during hexamethonium therapy for hypertension, 782
- circulation of, collateral, 784
- edema of
  - in heart failure with acute glomerulonephritis, 117
  - uremic, 124
- venesection for, 117
- emphysematous
  - aerosol dilator for, 787
  - and arterial hypoxemia, 785
  - positive - pressure breathing for, 787
- in lupus erythematosus, disseminated, 148

- mechanical, in production and repair of interatrial septal defect, 946
- pulmonary artery fistula of, in siblings, 636
- tuberculous, in congenital heart disease, 618
- unrecognized emboli in, coronary pulmonary after, 950

**Lupus erythematosus**

- atabrine for, 457
- disseminated
  - with hemolytic anemia, 149
- pulmonary manifestations of, 148
- vs. thrombotic thrombocytopenic purpura, 46
- quinacrine hydrochloride for, 457
- systemic, clinical pathology of, 636

**Lutembacher syndrome**, 773**Lymph**, pressure of, and blood vessel pulsations, 629**Lymphangitis carcinomatosa**, intimal fibrosis of pulmonary artery in, 356-359**Lymphatics**, lymph pressure in, and blood vessel pulsations, 629**Lymphoma**, malignant, heart in, 150**Magnesium sulfate**, for hypertension in acute glomerulonephritis, 118**Mammal**, cholesterol in, 491-499**Marcumar**, 680-684**Marian's syndrome**, 467**Marrow**

- blood flow in, in neoplastic diseases, 453
- in thrombotic thrombocytopenic purpura, 48

**Mast cell**

- in atherogenesis, 15
- function of, after India ink injection, 498-499

**McN-181 blood pressure after**, in hypertension, 780**Medulla oblongata**, postulated vasodilator center in, 954**Mephyton**, and Dipaxin-induced hypoprothrombinemia, 687**Mercurhydrin**, 941**Mercurial**

- action of, in diuresis, 677
- in congestive heart failure, 932
- inhibition of, by succinic dehydrogenase, 940

**Mercury**, excretion of, after Neohydrin, 634**Mesomorphy**, and myocardial infarction, 19**Methantheline bromide**, in control of vagal cardiovascular reflex during surgery, 455**Methyltestosterone**, jaundice due to, 586**Metrazol**, oral, in psychoses with cerebral arteriosclerosis, 301**Micrococcus pyogenes var. aureus**, bacteremia due to, case history, 57-59, 60-61**Microfilm**, of chest, in discovery of heart disease, 150**Migraine**, with dissecting aneurysm of cerebral artery, 469**Mitral valve**

- commissurotomy
  - evaluation of functional results after, 793-794
  - pulmonary hypertensive pain after, 463
- disease of, esophageal pulse in, 954

## insufficiency of

- atrial electrokymogram in, 71-79
- auricular esophagram in, 209
- ballistocardiogram in, 210
- left auricular electrokymogram in, 209-210
- with mitral stenosis, 207-211
- surgical treatment of, 945
- wedge pressure curve in, 209
- murmur, 506
- regurgitating
  - atrial electrokymogram in, 71-79
  - pulmonary capillary curve in, 947

## stenosis of

- with auricular fibrillation, an embolism, 520-521
- commissurotomy for, 462
- and cor pulmonale, 460
- experimental, 793
- left atrium in, 460
- left auricular appendage in, 300

## left auricular electrokymogram in, 209-210, 945

## with mitral insufficiency, 207-211

## murmur of, 925

## phonocardiogram in, 210

## pulmonary arterial pressure in, 147

## pulmonary function studies in, before and after commissurotomy, 460

## pulmonary vascular tree in, 807

## simulated by myxoma of left atrium, 766-771

## surgical treatment of, 636

## tight, 943

## transauricular valve fracture in, 623

## surgery on, angiocardiography in, 635

## valvotomy

## anesthesia in management of, 463

## and lobectomy, 789

**Mononucleosis**, infectious, with acute pericarditis, 471**Mortality**

## during Hyphex therapy for hypertension, 322-325, 330

## in myocardial infarction

## acute, 293

## and hospital admission policy, 620

## after photofluorograms suggestive of cardiovascular disease, 461



- Muller experiment**, planigraphy in, 461
- Murmur**  
aortic, 506  
apical systolic, in myocarditis, 753  
in atrial septal defect, 507  
Balthazar-Foster, 458  
of calcific aortic stenosis, 925  
and heart disease, 926  
mitral, 506  
in mitral insufficiency and stenosis, 208, 210  
in patent ductus arteriosus, 506-509, 926  
pulmonic, 506  
vascular, over enlarged spleen, 304  
in ventricular septal defect, 507
- Muscle**  
blood flow in, during cyclopropane anesthesia, 298  
clearance of radioactive sodium from, 469  
respiratory tie of, 940  
skeletal  
potassium in, in experimental renal hypertension, 470  
sodium in, in experimental renal hypertension, 470  
after ultrasonic irradiation, 297  
water in, in experimental renal hypertension, 470  
ventricular, staircase contraction of, 305
- Myocarditis**, 747-763  
acute, definition, 750  
in Chagas' disease, 751  
classification of, 751-752  
clinical diagnosis of, 752-755  
clinical incidence, 749-750  
and communicable diseases, 749  
definition, 750  
diphtheritic, 762  
electrocardiogram in, 755-761  
Fiedler's, 751, 753, 757, 761  
focal, in poliomyelitis, 149  
idiopathic, 751, 753, 757, 761, 763  
isolated, 751, 753, 757, 761, 763  
interstitial, 751, 753, 757, 761, 763  
pathologic features, 750-751  
pathologic incidence, 747-749  
prognosis, 761-762  
rheumatic, 752  
prognosis, 761  
secondary to parasitic infestation, 763  
symptoms, 752  
treatment, 762-763  
due to trichinosis, 751  
viral, 578, 751
- Myocardium**  
abscess of, 758  
in acute glomerulo-nephritis, 115, 116  
after Aramine, 87-92  
carbohydrate metabolism in, 451  
contractility of, 84  
after Aramine, 90  
electrocardiographic pattern  
simulating injury to, 623  
after exposure to radioactive digitoxin in vitro, 136  
fibrosis of, definition, 750  
granulomata in, 751  
in hypothermia, 947  
and incompetency of heart, 663, 664  
infarction of  
blood proteins in, 138  
in chronic kidney disease, 124-125  
control of Dicumarol therapy in, by blood prothrombin test, 691-697  
electrocardiographic recognition of, 929  
electrophoresis in, 939  
estrogen therapy for, in males under fifty years of age, 587  
fibrinogen concentration in, 938  
and left ventricular ejection delay, 138  
and mesomorphy, 19  
mortality rates in, 620  
in Negro, 776  
norepinephrine for shock in, 303  
and plasma cholesterol, 13  
quantitative estimation of severity of, 793  
serum albumin in, 96, 97  
serum globulin in, 96, 97  
severity of, 293, 793  
and shock, 303, 775  
survival rates in, and anticoagulant therapy, 621  
T wave in, 829-841, 929  
ventricular gradient in, 622  
insufficiency of, and pulsus alternans, 923  
ischemia of, and T wave inversion, 829-841  
metabolism of, after thiamine deficiency, 788  
potassium in, in experimental renal hypertension, 470  
primary disease of, in childhood, 300  
sodium in, in experimental renal hypertension, 470  
ventricular, staircase contraction of, 305  
water in, in experimental renal hypertension, 470
- Myxedema**  
lipid metabolism in, 471  
lipoproteins in, 14  
radioiodine induced, 620
- Myxoma**, of left atrium simulating mitral stenosis, 766-771
- Nail-bed**, capillaries of, in Raynaud's disease, 371
- Nausea**, after cinchona alkaloids, 820
- Neck**, veins of, in differential diagnosis, 923
- Necrosis**  
arteriolar, and Hyphex for hypertension, 327  
of heart, due to dietary deficiency of lipotropic factors, 588  
of subcutaneous fat in infant following induced hypothermia, 636
- Negro**  
hypertension in, 776  
myocardial infarction in, 776
- Neogermitrine**, for hypertension, 143
- Neohydrin**, 303, 941  
electrolyte excretion after, 634  
mercury excretion after, 634  
water excretion after, 634
- Neo-Iopax**, death following, 945
- Neomycin**, toxicity of, 59, 63
- Neo-Synephrine**, intravenous continuous, 147
- Nephritis**, acute, veriloid for hypertensive phase of, 144
- Nephrosis**  
lipoprotein pattern in, 13  
and plasma lipid partition after heparin, 935
- Nephrotic syndrome**, 124
- Nephrotoxicity**, due to Neomycin, 59, 63
- Nervous system**, sympathetic, DMPP stimulation of ganglion of, 631
- Neurosurgery**, Arfonad for controlled hypotension in, 465
- Newbold Lecture**, "The Mechanism of Cardiac Failure," 663-678
- Newborn**, electrocardiogram of, 140
- Nitrogen**, nonprotein, in blood, after Hyphex for hypertension, 325
- Nitroglycerin**, for angina pectoris, 813, 815, 819, 931-932
- Nitrous oxide**, myocardial desaturation in measurement of coronary blood flow, 298
- Nonelectrolyte solution**, subcutaneous, peripheral vascular collapse after, 940
- Norepinephrine**  
and Benodaine, 647  
and cardiac effects of ether, 786  
and cardiac excitability, 456  
cerebral hemodynamic response to, 265-270  
chemical quantitation of, in patients with pheochromocytoma, 641-651  
deficient release of, in postural hypotension, 299  
kidney hemodynamics after, 627  
in pheochromocytoma, 649-650  
and Regitine, 647  
for shock in myocardial infarction, 303  
in tolerance to prolonged ganglionic blockade, 891
- Normotension**  
hexamethonium bromide in, 451  
urinary sodium output after acute salt loads in, 912-918
- Obesity**  
and coronary disease, 953



- Obesity** (*Cont'd*)  
 and fat tolerance, 742-746  
 and hypertension, 953  
 and serum cholesterol levels, 744-745  
 and serum fatty acids, 745
- Obstruction**, biliary, serum lipoprotein pattern characteristic of, 586
- Occlusion**  
 arterial, lldar for, 381  
 of basilar artery, survival after, 938  
 coronary, 136  
 heart enlargement in, 939
- Organs of Zuckerkindl**, 295
- Oscillography**, endocavitary, 784
- Oscillometric method**, for measurement of arterial blood pressure, 487
- Osteoarthritis**, lldar for pain associated with, 382
- Ototoxicity**, due to Neomycin, 59
- Oxygen**  
 arterial saturation with,  
 in pulmonary congestion and edema, 81-82  
 in sickle cell anemia, 655-660  
 arteriovenous difference in atherosclerosis, before and after heparin, 604  
 cerebral consumption of  
 after Aramine, 266, 267  
 in essential hypertension, 781  
 after norepinephrine, 266, 267  
 consumption of  
 during ageing of rats, 140  
 in sickle cell anemia, 655-660  
 partial pressure of, in blood, 146  
 in pulmonary artery, and arterial pressure, 451
- Oxygenator-pump**, in total bypass of heart and lungs, 949
- Oxytetracycline**  
 for bacteremia, 62  
 enterococcal, 63  
 for enterococcal endocarditis, 179, 187
- Pacemaker**, wandering, in one thousand young healthy aviators at ten year follow up, 386
- Paget's disease**, and heart failure, 577-578
- Pain**  
 anginal, relief of, by resection of anginal pathway, 464  
 associated with osteoarthritis, lldar for, 382  
 in chest, and heart disease, 920-921  
 of idiopathic pericarditis, 927  
 due to potassium intoxication in Kimmelstiel-Wilson syndrome, 304  
 pulmonary hypertensive, after mitral commissurotomy, 463
- Palpation and pheochromocytoma**, 648
- Pancreatectomy**  
 blood constituents after, 596  
 and rate of regression  
 of atherosclerosis, 597  
 of hypercholesterol, 597
- Papillary muscle**, potentiation of inotropic response of, to epinephrine, 633
- Papilledema**, development of, after disappearance of hypertension, 28-29
- Parabiont**, hypertension in, 142
- Paravertebral muscle**, lldar for spasm of, 382
- Parephyllin**, 941
- Paritol**, and clotting time, 134
- Penicillin**  
 for bacteremia, 62-63  
 for bacterial endocarditis in penicillin-sensitive patient, 616  
 blood levels of, after Probenecid, 186, 188-189  
 for enterococcal endocarditis, 63, 178, 180, 186  
 with bacitracin, 179  
 with dihydrostreptomycin, 180, 185, 190-191  
 with streptomycin, 179, 184, 186-188, 190-191  
 prophylaxis with, in streptococcal disease, 301  
 sensitivity to, 616
- Penicillin G**, in plasma after single oral doses, 301
- Pentaerythritol tetranitrate**, for angina pectoris, 813, 815, 819
- Pentology of Fallot**, 617
- Pentaquine phosphate**, for angina pectoris, 813, 817
- Pericarditis**  
 acute  
 idiopathic, 577  
 with infectious mononucleosis, 471  
 with serum sickness, 795  
 constrictive  
 chronic, 578  
 heart failure due to, 928  
 with effusion, pneumopericardium for, 634  
 idiopathic  
 acute, 793  
 pain of, 927  
 pyogenic, 927  
 rheumatic, 927  
 in systemic disease, 927  
 tuberculous, 927-928  
 uremic, 123
- Periarthritis nodosa**  
 with acute nephritis, 787  
 with Cogan's syndrome, 468
- Pericardium**  
 constrictive, pathogenesis of, 471  
 effusion into, 628  
 in differential diagnosis, 928  
 massive, 452  
 radiogold instilled into, 955
- Phenylindanedione**, long-term therapy with, for cardiovascular disorders, 616
- Pheochromocytoma**, 625  
 and anesthesia, 648  
 epinephrine in, 649-650  
 hydroxytyramine in, 650  
 norepinephrine in, 649-650  
 and palpation, 648  
 quantitation of epinephrine in patients with, 641-651  
 quantitation of norepinephrine in patients with, 641-651  
 of urinary bladder, 141
- Phlebography**, ascending, 465
- Phlegmasia caerulea dolens**, 795
- Phonocardiography**  
 in congenital heart disease, 304  
 intracardiac, 793  
 of left atrium in mitral stenosis, 460  
 in mitral stenosis, 210, 460  
 with mitral insufficiency, 210  
 in patent ductus arteriosus, 501-509
- Phosphate**, in blood, in atherosclerosis, 274
- Phosphatide**, in serum, 584
- Phospholipid**  
 aortic synthesis of, in atheromatosis, 594  
 in blood, in atherosclerosis, 273  
 phosphorus, in vitro exchange of, between lipoproteins, 603  
 of plasma lipoproteins, 615  
 in serum  
 in hyperlipemia, 745  
 and rheumatic fever, 944
- Phospholipid-cholesterol ratio**, in atherogenesis, 16-17
- Phosphorus**, phospholipid, in vitro exchange of, between lipoproteins, 603
- Photofluorogram**, suggestive of cardiovascular disease, 461
- Photography**, of conjunctival blood vessels, 277-281
- Phytosterol**, dietary, and cholesterol absorption, 25  
 in lowering of serum cholesterol, 201-205
- Pid-Thrombantin**, long-term therapy with, for cardiovascular disorders, 616
- Pig**, arterial homograft in thoracic aorta of, 465
- Pitressin**  
 cardiovascular effects of, 941  
 urinary electrolyte excretion due to, as function of water retention, 147
- Placebo**, for angina pectoris, 813, 815
- Planigraphy**  
 in Muller experiment, 461  
 in Valsalva maneuver, 461
- Plant**, sterol from, and cholesterol absorption, 25
- Plaque**, atherosclerotic, iron in, 609
- Plasma**  
 abnormal, in atherogenesis, 15  
 benzethacil in, after single oral doses, 301  
 cholesterol in  
 and age of subject, 15-16  
 after injection of India ink and excess cholesterol, 495-498

- and myocardial infarction, 13  
determination of volume of, with radioactive chromic chloride, 459  
electrolytes in, after strophanthin, 787  
glucose in  
after corticotropin in cholesterol-fed chicks, 238-239  
after cortisone in cholesterol-fed chicks, 238-239  
after hydrocortisone in cholesterol-fed chicks, 238-239  
heparin in, and serum low density lipoproteins, 604  
kidney flow of, and edema formation, 674-675, 678  
lipid in  
and arterial wall, 614  
in cholesterol-fed egg-producing hens, 251  
in coronary artery disease, 138  
after dietary animal fat, 593  
after dietary vegetable fat, 593  
and estrogen in coronary artery disease, 938  
heparin in clearance of, 134  
after iodine administration, 23-24  
and vessel wall lipid, 3  
wettability of, 6  
lipoprotein in  
in atherogenesis, 6  
phospholipid of, 615  
movement of constituents of, through arterial wall in atherogenesis, 3-6  
penicillin G in, after single oral doses, 301  
volume of  
in congestive heart failure, 905-910  
and molecular size of Dextran, 786  
radioactive chromic chloride in determination of, 459  
**Plasmin**, in lysis of thrombus due to sodium morrhuate, 948  
**Platelet**  
and thrombin in acceleration of clotting, 934  
in thrombotic thrombocytopenic purpura, 48  
**Pneumonia**, interstitial, in poliomyelitis, 149  
**Pneumopericardium**, for pericarditis with effusion, 634  
**Poisoning**  
due to beryllium, 129-132  
due to bishydroxycoumarin, 474  
due to Dicumarol, 474  
See also Toxicity  
**Polarity, vectorcardiographic**  
standardization of leads, 571  
standardization of voltages, 572  
**Poliomyelitis**  
myocarditis in, 149, 749  
pneumonia in, 149  
**Polyangitis**, essential, with Cogan's syndrome, 468  
**Polyarteritis nodosa**, respiratory of, 468  
**Polymetaphosphate**, heparin-like activity of, 591  
**Polysaccharide**, in serum, and degenerative vascular disease, 791  
**Polyvinylpyrrolidone**, hexamethonium in, 456  
**Pooling**, vascular, atropine-induced, 423-428  
**Position (of subject)**, and diuretic response to isotonic saline solution, 147  
**Postphlebitic syndrome**, ilidlar for, 381  
**Posture**, hypotension due to with deficient release of epinephrine and norepinephrine, 299  
hyperventilation in, 362-364  
after ilidlar, 377  
induced by atropine sulfate, 413-421, 423-428  
**Potassium**  
deficiency of, 431-432  
due to desoxycorticosterone acetate, 943  
and lethal dose of lanatoside C, 943  
potassium chloride for, 431  
and urinary excretion of citrate, 472  
dietary, and blood pressure of hypertensive rats, 779  
intoxication due to  
in acute kidney failure, 119-120  
electrocardiographic changes in, 120  
pain due to, in Kimmelstiel-Wilson syndrome, 304  
in myocardium, in experimental renal hypertension, 470  
for prevention of ACTH-induced sodium retention, 625  
in skeletal muscle in experimental renal hypertension, 470  
tubular reabsorption of, 431  
tubular secretion of, 432  
and ventricular fibrillation, 721-722, 723-726  
**Potassium chloride**, for potassium deficiency, 431  
**Potential**, back, and mean manifest QRS axis, 560-562  
**Pregnancy**  
and berylliosis, 130  
desoxycorticosterone acetate in electrolyte balance after, 142  
hemodynamics after, 142  
fetal risks from rubella during, 135  
hydrazinophthalazine in, 457  
inactivation of antidiuretic hormone by blood serum in, 149  
and polycystic disease of kidney, 794  
rheumatic heart disease in, 944  
toxemia of  
cerebral hemodynamics in, 631  
and kidney circulation, 149  
veratrum for, 464  
toxemia of, and hypertension  
Apresoline in, 143  
Arfonad in, 143  
kidney hemodynamics in, 143  
Protoveratrine in, 144  
spinal anesthesia in, 143  
veratrum alkaloid in, 143, 144  
**Preponderance**, in precordial leads, 624  
**Pressor**, in blood, salt-fed rabbit as test object for, 297  
**Pressor amine**, adrenal ascorbic acid after, 634  
**Pressoreceptor**, carotid, and Veriloid, 454  
**Pressoreceptor reflex in neurogenic hypertension**, 783  
**Pressure**  
of blood. See Blood pressure  
cardiovascular, during surgery, 466  
carotid, and ventricular contractility, 736-740  
left auricular  
before and during atrioventricular block, 145  
measurement of, 299  
partial  
of carbon dioxide in blood, 146  
of oxygen in blood, 146  
venous, intracardiac catheter with inflatable balloon for producing increase in, 298  
wedge, in pulmonary artery, 145  
**Pressure curve**  
atrial  
and pulmonary capillary pressure curve, 629  
and pulmonary wedge pressure curve, 629  
pulmonary capillary, 299  
and atrial pressure curves, 629  
wedge, in mitral insufficiency, 209  
**Pressure gradient**, interatrial, in man, 527-534  
**P-R interval**  
in five thousand healthy adult males, 403-406  
in one thousand young healthy aviators at ten year follow up, 387-389, 396  
prolonged, in five thousand healthy adult males, 407-409, 411  
short, with abnormal QRS complexes and paroxysmal tachycardia, 282-291  
after surgical correction of coarctation of aorta, 872  
of patent ductus arteriosus, 877  
of pulmonary stenosis, 862  
**Priscoline**, and Apresoline for hypertension, 626  
**Probenecid**, and blood penicillin levels, 62, 63  
in enterococcal endocarditis, 186, 188-189  
**Procaïne**, intra-aortic, in aortography, 294

- Procaine amide**  
for auricular arrhythmia, 456  
for ventricular tachycardia, 924  
for Wolff-Parkinson-White syndrome, 634
- Procaine amide hydrochloride**  
for angina pectoris, 813, 815  
for ouabain-induced ventricular tachycardia, 67, 69
- Proconvertin**, after Dipaxin, 687
- Proconvertin-prothrombin level**, and Dicumarol therapy during surgery, 215
- Prostigmine**, for inhibition of ventricular fibrillation, 721-726
- Protamine sulphate**, and post-alimentary chylomicronemia, 134
- Protein**  
in aorta, 8  
of beta lipoprotein, 596  
in blood  
electrophoresis of, in myocardial infarction, 138  
in myocardial infarction, 138  
in rheumatic fever, 460  
chylomicron associated with, 596  
C-reactive, in rheumatic fever, 635  
dietary, and hyperlipemia, 18  
iodine bound to, and oral iodide, 716  
in lipoproteins, 9  
in plasma and other protein moieties, 596  
in serum, in atherosclerosis, 274
- Proteinuria**, regression of, after Hyphelex for hypertension, 326
- Prothrombin**, 691  
after Dipaxin, 687
- Protoveratrine**, for hypertension, 143  
and pregnancy with toxemia, 143, 144
- Pulmonary artery**  
cardiovascular effects of embolization in, 784  
intimal fibrosis of, in lymphangitis carcinomatosa, 356-359  
oxygen content of, 453  
and arterial pressure, 451  
in mitral stenosis, 147  
obtained by wedged catheter, 145  
and oxygen content, 451  
pressure in  
before and after valvuloplasty for isolated valvular pulmonary stenosis, 164-166, 170  
sclerosis of, due to recurrent thromboembolism, 343-360
- Pulmonary capillary curve**, in mitral regurgitation, 947
- Pulmonary valve**  
murmur, 506  
stenosis of  
congenital, 772  
with intact ventricular septum, 576  
with interatrial communication, 529-530  
isolated, 576  
open valvuloplasty for, 161-171  
postvalvulotomy electrocardiogram in, 859-868  
valvuloplasty using mechanical heart for by-pass of right heart, 636
- Pulmonary vein**  
aberrant, 618  
"throttle valve" action of, 786
- Pulsation**, of blood vessel and lymph pressure, 629
- Pulse pressure**  
and direct vs. indirect measurement of arterial blood pressure, 486  
of renal artery, hypertension after reduction of, 142
- Pulse rate**  
after Aramine, 85  
after atropine sulphate, 415  
425, 426  
during menstrual cycle, 794
- Pulsus alternans**  
dynamics of, 627  
in myocardial insufficiency, 923  
in myocarditis, 753
- Pulsus bigeminus**, 931
- Pump**, oxygenator, in total bypass of heart and lungs, 949
- Purpura**, thrombotic thrombocytopenic, 43-52  
vs. disseminated lupus erythematosus, 46
- P wave**  
in congenital cardiopathies, 295  
in myocarditis, 757-758  
in one thousand young healthy aviators at ten year follow up, 391  
standardization of, 568  
after surgical correction  
of coarctation of aorta, 872, 881  
of patent ductus arteriosus, 877  
of pulmonary stenosis, 862
- Quinacrine hydrochloride**, for lupus erythematosus, 457
- Quinidine**  
atrioventricular nodal rhythm due to, 146  
for auricular flutter, 924  
for chronic auricular fibrillation, 924  
in conversion of auricular fibrillation to sinus rhythm, 521  
fever as sign of toxicity of, 631  
for hypertension, 626  
for ouabain-induced ventricular tachycardia, 67, 69  
resorption of, 632  
for ventricular tachycardia, 924  
ouabain-induced, 67, 69
- Quinidine sulfate**, for angina pectoris, 813, 815-816, 819-821
- Quinine**, for hypertension, 626
- Quinine sulfate**, for angina pectoris, 813, 816, 819-821
- Quinoline ring**, 819
- QRS complex**  
abnormal, with short P-R interval and paroxysmal tachycardia, 282-291  
auriculoventricular dissociation, 624  
duration of  
after surgical correction of coarctation of aorta, 872  
after surgical correction of patent ductus arteriosus, 877  
after valvulotomy in pulmonary stenosis, 862  
electrical axis of  
deflection of, in one thousand young healthy aviators at ten year follow up, 391-396  
mean manifest, and back potentials, 560-562  
spatial angle between long axis of, and longitudinal axis of ventricles, 777  
after surgical correction of coarctation of aorta, 872  
after surgical correction of patent ductus arteriosus, 877  
after valvulotomy in pulmonary stenosis, 863  
in myocarditis, 758  
in one thousand young healthy aviators at ten year follow up, 387, 389  
standardization of, 568-569
- QRS interval**, prolonged, 406, 407
- QRS loop**, and dipole eccentricity, 551-559
- QRS sE-loop**, in left ventricular hypertrophy, 728-734
- QRS vector**  
in left ventricular hypertrophy, 929  
spatial, repeat variability of, 850-853
- Q-T interval**  
and left ventricular ejection period, 624  
in one thousand young healthy aviators at ten year follow up, 390-391, 396  
range of, 140  
in rheumatic fever, 460  
after surgical correction  
of coarctation of aorta, 872, 881  
of patent ductus arteriosus, 877  
after valvulotomy in pulmonary stenosis, 863, 866
- Q wave**  
in five thousand healthy adult males, 409  
in Osler's subacute infectious endocarditis, 772  
after surgical correction  
of coarctation of aorta, 873  
after patent ductus arteriosus, 877  
after valvulotomy in pulmonary stenosis, 863
- Rabbit**  
pulmonary arteriosclerosis and cor pulmonale in, 343-360

- salt-fed, as test object for pressors in blood of hypertensive animals, 297
- Race (of subject)**, and myocarditis, 749
- Radiation**, hazard due to, in angiocardigraphy, 306
- Radiochromium**, red cells tagged with, in determining effect of congestive heart failure on blood volume, 902-910
- Radiodigitoxin**, myocardium after exposure to, *in vitro*, 136
- Radioiodine**, intrapericardial, 955
- Radioiodine**, myxedema induced by, 620
- Radiosodium**, clearance of, from muscle, 469
- Radiosulfur**, uptake of, by vascular tissue, 595
- Rales**  
and arterial oxygen saturation in pulmonary congestion and edema, 81-82  
pulmonary, 923
- Rat**, atherosclerosis in, 5
- Raynaud's disease**  
Dibenzylamine for, 367-368, 371  
Iliad for, 381  
nail-bed capillaries in, 371
- Red blood cell**  
mass of  
in congestive heart failure, 905  
radioactive sodium chromate in determination of, 459  
radiochromium-tagged, in determining effect of congestive heart failure on blood volume, 902-910  
in thrombotic thrombocytopenic purpura, 48
- Reflex**  
pressor-receptor, in neurogenic hypertension, 783  
vagal cardiovascular, during surgery, 455
- Regitine**, 632  
and epinephrine, 647  
and norepinephrine, 647
- Regurgitation**, mitral  
atrial electrokymogram in, 71-79  
pulmonary capillary curve in, 947
- Renal artery**  
occlusion of, and malignant hypertension, 143  
pulse pressure of, hypertension after reduction of, 142
- Renin**  
adrenal ascorbic acid after injection of, 140  
physiological properties of, 297
- Resin**  
cation exchange, 149  
sodium-removing activity of, 302  
ion-exchange for anuria, 456
- Resistance**, peripheral, and venous return, 784
- Reticuloendothelial cell of liver**, in cholesterol deposition, 492-494
- after India ink injection, 494-495
- Retinopathy**, development of, after disappearance of hypertension, 28-29
- Rheumatic disease**  
body water in, after corticotropin, 306  
cortisone-like effect of desoxycorticosterone acetate with ascorbic acid in, 635  
hydrocortisone for, locally administered, 635  
lesions due to  
in heart, 306  
in left auricular appendage, 306
- Rheumatic fever**  
aureomycin in prophylaxis of, 305  
berylliosis and pulmonary hypertension mistaken for, case history, 129-132  
blood proteins in, 460  
cantharides blister fluid in, 459  
C-reactive protein in serum in, 635  
and dietary eggs, 944  
and enterococcal endocarditis, 189  
heart disease due to, 924-926  
in pregnancy, 944  
prevention of systemic arterial embolism in, 517-525  
hereditary susceptibility in, 699-703  
myocarditis due to, 761, 762  
Q-T interval in, 460  
and serum phospholipid, 944  
and sickle cell anemia, 656, 657
- Rhythm**  
gallop, in differential diagnosis, 922-923  
nodal, due to quinidine sulfate, 146
- Ring**, vascular, and patent ductus arteriosus, 773
- Roentgenkymography**, of left atrium in mitral stenosis, 460
- Roentgenography**  
in atrial rupture, 226-227  
in isolated valvular pulmonic stenosis, 164, 169  
in mitral insufficiency and stenosis, 209
- Royal Canadian Air Force**, electrocardiography in selection of aircrews for, 401-412
- RS-T segment**  
depression of, in angina pectoris during therapy, 817  
in one thousand young healthy aviators at ten year follow up, 396
- Rubella**, during pregnancy, fetal risks from, 135
- Rule**, Foster's, 468
- Rupture**  
of aortic aneurysm, 466  
in superior vena cava, 951  
of aortic valve, 304  
atrial, 221-229  
of chordae tendinae, 577
- of heart, with dissecting aneurysm, 469  
ventricular, 221, 226
- R wave**  
in isolated valvular pulmonary stenosis, 163, 169  
standardization of, 569  
after surgical correction  
of coarctation of aorta, 873, 881  
of patent ductus arteriosus, 877  
of pulmonary stenosis, 863-864, 866
- Saline solution**  
hypertonic  
for edema in congestive heart failure, 629  
for hyponatremia in congestive heart failure, 629  
isotonic, diuresis after, in seated subjects, 147
- Salt load**, acute, and urinary sodium output, 912-918
- Saphenous vein**, primary varices of, 444  
stripping of, 447-448
- Sarcoid**, Boeck's, and berylliosis, 131
- Scleroderma**, etiology of, 472
- Scherlis-Grishman system**, of vectorography, 101-113
- Sclerosis**, of aorta, due to dietary deficiency of lipotropic factors, 588
- Sedimentation rate**, in myocarditis, 754-755
- Septum**  
atrial defect of  
atrioseptopexy for, 307  
closure, 617  
congenital, 774  
murmur in, 507  
surgery for, 307, 788  
defects of, 773  
interatrial pressure gradient across, 527-534  
interatrial defect of, 528-529  
cyclic flow across, 531-532  
production of, 946  
repair of, 461, 946  
interventricular defect of, and patent foramen ovale, 530  
ventricular, intact, with pulmonic stenosis, 576  
ventricular defect of, murmur in, 507
- Serotonin**  
in tissue, 459  
in urine, 459
- Serum**  
albumin in  
of professional blood donors, 98  
and serum lipids, 94-99  
bilirubin in, in thrombotic thrombocytopenic purpura, 48  
cholesterol in  
and adenosine 5-monophosphate, 25  
and atherosclerosis, 744-745  
and ballistocardiographic



**Serum (Cont'd)**

- characteristics of middle-aged men, 613
  - and diet, 20-21
  - gerontal, 474
  - in Italy, 606
  - vs. low density lipoprotein in familial hypercholesterolemia, 608
  - after plant sterol administration, 589
  - sitosterol in lowering of, 201-205
  - citric acid in, in atherosclerosis, 274
  - C-reactive protein in, in rheumatic fever, 635
  - fatty acid in
    - in atherosclerosis, 745
    - in obesity, 745
  - globulin in, 95
    - of professional blood donors, 98
  - lipid in
    - and angina pectoris, 588
    - in atherosclerotic males, 585
    - after dl-methionine, 788
    - and fat tolerance, 742-746
    - in normal males, 585
    - partition of, after heparin, 935
    - and protein fractions, 94-99
    - after sitosterol, 590
  - lipoprotein in
    - in atherosclerosis, 30-40
    - in coronary atherosclerosis, 621
    - in Italy, 606
    - after long-term estrogen administration in hypercholesterolemia, 587
    - after long-term heparin administration in hypercholesterolemia, 587
    - with pattern characteristic of biliary obstruction, 586
    - and plasma heparin, 604
    - postmortem studies in, 605
    - stability of, in atherosclerosis, 30-40
  - maternal, lipoprotein fractions in, 14
  - phosphatides in, 584
  - phospholipid in
    - in hyperlipemia, 745
    - and rheumatic fever, 944
  - polysaccharides in, in degenerative vascular disease, 791
  - from pregnant women in inactivation of antidiuretic hormone, 149
  - protein in, in atherosclerosis, 274
  - stability of, and arteriosclerosis, 792
  - umbilical cord lipoprotein fractions in, 14
- Serum sickness**, with acute pericarditis, 795
- Sex (of subject)**
- in atrial rupture, 227-228
  - and lipoprotein fractions 10-11
  - and myocarditis, 749
- Shock**
- cardiogenic, vasopressor drugs in, 84-92

- in chronic kidney disease, 124-125
- hemorrhagic, intra-arterial transfusion for, 473
- and myocardial infarction, 775
- l-norepinephrine for, 303
- in myocarditis, 754
- due to obstruction of venous return to heart, 784
- present-day concepts of, 472
- surgical, Arterenol for, 949
- due to tourniquet, effect of ferritin on mortality rates in, 470

**Shunt**

- right-to-left, 705-712
  - venoarterial, and interatrial communications, 705-712
- Sibling**, pulmonary artery fistula in, 636

**Sickle cell anemia**

- hemodynamic studies in, 654
  - and rheumatic fever, 656, 657
- Sinus bradycardia**, in one thousand young healthy aviators at ten year follow up, 386

**Sinus rhythm**, after surgical correction

- of coarctation of aorta, 872
- of patent ductus arteriosus, 876

**Sinus tachycardia**

- in one thousand young healthy aviators at ten year follow up, 386
- simulating auricular tachycardia, 923

**Sitosterol**

- absorbability of, 589
- beta
  - and atherosclerosis, 25
  - in lowering of serum cholesterol, 201-205
  - and serum lipids, 590

**Skin**

- in manifestations of systemic diseases, 795
- temperature of, after atropine sulphate injection, 414

**Smoking**

- ballistocardiogram after
  - in coronary artery disease, 139
  - of high school youth, 777
- electrocardiogram after, 138

**Sodium**

- ACTH-induced retention of, 625
- adrenal substance promoting retention of, 470
- deficiency of, and edema, 431
- excretion of, and blood pressure, 917
- in myocardium, in experimental renal hypertension, 470
- output of, and blood pressure, 536-542
- radioactive clearance of, from muscle, 469
- replacement of, in edema, 432-434
- removal of, by ion exchange resins, 302
- restriction of, in hypertension 141

- in skeletal muscle in experimental renal hypertension, 470

- tubular reabsorption of, 430
- urinary, after acute salt loads, 912-918

**Sodium chloride**

- and blood pressure during dietary stress, 784
- dietary, chronic effects of, 296
- excretion of, in heart failure, 674-678
- toxicity due to, 616

**Sodium chromate**, radio-active, in red cell mass determination, 459**Sodium Menadiol**, and Dipaxin-induced hypoprothrombinemia, 687**Sodium morrhuate**, plasmin in lysis of thrombus due to, 948**Sounds of Korotkoff**, 488, 489**Splanchnicectomy**

- for hypertension, 144
- urinary sodium output after acute salt loads before and after, 912-918
- and venous congestion of limbs in hypertensives, 296

**Splanchnic nerve**, kidney function after hypertension due to stimulation of, 142**Spasm**

- esophageal, pain due to, 921
- of paravertebral muscle lldar for, 382

**Spatial angle**, between long axis of QRS loop and longitudinal axis of ventricles, 777**Spleen**, enlarged, vascular murmur over, 304**Squalene**, as cholesterol precursor**Standstill**. See Arrest**Starvation**, and atherosclerosis, 25**Stellate ganglion block**, value of, 474**Stenosis**

- acquired, of pulmonary veins, 576
- aortic, 926
- calcific, 925
- commissurotomy for, 465
- arteriosclerotic, of major arteries, 467
- mitral
  - with auricular fibrillation, and embolism, 520-521
  - commissurotomy for, 462
  - and cor pulmonale, 460
  - experimental, 793
  - left atrium in, 460
  - left auricular appendage in, 300
  - left auricular electrokymogram in, 209-210, 945
  - with mitral insufficiency, 207-211
  - murmur of, 925
  - phonocardiogram in, 210
  - pulmonary arterial pressure in, 147



- pulmonary function studies in before and after commissurotomy, 480
- pulmonary vascular tree in, 807
- simulated by myxoma of left atrium, 766-771
- surgical treatment of, 636
- tight, 943
- transauricular valve fracture in, 623
- pulmonary congenital, 772
- with intact ventricular septum, 576
- with interatrial communication, 529-530
- isolated, 576
- open valvuloplasty for, 161-171
- postvalvulotomy electrocardiograms in, 859-868
- valvuloplasty using mechanical heart for by-pass of right heart, 636
- Sterol**
- metabolism of, in atherogenesis, 6
- plant
- blood cholesterol level after administration of, 589
- and cholesterol absorption, 25
- and hypercholesterolemia, 610
- lipoprotein pattern after administration of, 589
- in lowering of serum cholesterol, 201-205
- S-T junction**, 569-570
- in myocarditis, 759
- S-T segment**
- in myocarditis, 759
- standardization of, 569-570
- after surgical correction of coarctation of aorta, 875, 882
- after surgical correction of patent ductus arteriosus, 880
- after valvulotomy in pulmonary stenosis, 864, 867
- Strain**, and cardiac disability, 953
- Strain gauge arch**, circulatory changes affecting measurement of heart force with, 145
- Streptococcus**, penicillin for prophylaxis in disease due to, 301
- Streptococcus liquefaciens**, bacteremia due to, case history, 56-57, 59-60
- Streptodornase**, 792
- Streptokinase**, 792
- Streptomycin**, 63
- Streptomycin**
- for bacteremia, 62-63
- Streptomycin**, for enterococcal endocarditis, 63, 179, 188
- with penicillin, 179, 184, 186-188, 190-191
- Stress**
- atrial rupture associated with, 225-226
- capillary fragility, 298
- dietary, effect of salt on blood pressure after, 784
- emotional, and cardiovascular disease, 126
- on heart, 667
- Strophantin**
- electrolyte excretion after, 787
- plasma electrolytes after, 787
- water excretion after, 787
- Succinic dehydrogenase**, in human aortic tissue, 607
- localization of mercurial inhibition by, 940
- Succinylsulfathiazole**, 25
- Sulfur**, radioactive uptake by vascular tissue, 695
- Sulzer-Duchosa system**, of vectorcardiography, 101-113
- Superior vena cava syndrome**, 783
- Surgery**
- anticoagulant therapy during, 213-219
- Arterenol for shock due to, 949
- for arteriosclerotic aneurysm of abdominal aorta, 788
- for coarctation of aorta, 462
- control of cardiovascular reflex during, 455
- Dicumarol therapy during, 213-219
- direct vision, of open heart during hypothermia, 464
- of heart, 464
- arrhythmia during, 789
- for interauricular septal defect, 461
- mitral, angiocardiology in, 635
- orthopedic hexamethonium salts in, 943
- thoracic, helpful guides in, 306
- urinary sodium output after acute salt loads before and after, 912-918
- Svedberg unit**, 10
- S wave**
- after surgical correction of patent ductus arteriosus, 877-878
- after valvulotomy in pulmonary stenosis, 864, 866-867
- standardization of, 569
- Sympathetic nervous system**
- DMPP stimulation of ganglion of, 631
- postural hypotension due to disease in, 363
- Sympathectomy**
- for hypertension, 144, 780
- in chronic kidney disease, 122
- and sensitivity of blood vessels to epinephrine, 462
- Syncope**
- after atropine sulphate, 415, 419, 426
- after coughing, 469
- differential diagnosis of, 924
- Synkavit**, and Dipaxin-induced hypoprothrombinemia, 687
- Syphilis**
- aortitis due to, penicillin treatment of, 302
- cardiovascular, penicillin treatment of, 302
- Tachycardia**, 669
- atropine-induced, 417
- auricular
- paroxysmal, 923
- persistent, 233-235
- and cardiac reserve, 670-671
- in five thousand healthy adult males, 409-410
- paroxysmal, 923
- congenital, 786
- with short P-R interval and abnormal QRS complexes, 282-291
- sinus
- in myocarditis, 752
- in one thousand young healthy aviators at ten year follow up, 386
- simulating auricular tachycardia, 923
- supraventricular, persistent, 233-235
- ventricular
- diagnosis of, 924
- in myocarditis, 756
- ouabain-induced, 65-70
- procaine amide for, 924
- quinidine for, 924
- Taxis**, deflection of, in one thousand young healthy aviators at ten year follow up, 394-396
- Temperature**
- extremes of, and hypertension, 781
- oral, after atropine sulphate injection, 414
- of skeletal muscle after ultrasonic irradiation, 297
- of skin, after atropine sulphate injection, 414
- Terminal**, central, and dipole eccentricity, 559
- Test**, of blood prothrombin for control of Dicumarol therapy in myocardial infarction, 691-697
- Testosterone**, and atherosclerosis, 25
- Tetraethylammonium bromide**
- for cardiac asthma, 628
- for pulmonary edema, 628
- Tetraethylammonium chloride**
- blood flow after, 889-891
- blood pressure after, 887-889
- reversal of depressor effect of, 893
- tolerance to prolonged ganglionic blockade with, 887-894
- Tetralogy of Fallot**
- anatomic variations in, 619
- cyanosis in, 926
- differential diagnosis of, 926, 927
- with interatrial communication, 617
- Theophyllamine**, resorption of, 632
- Thiamine**, myocardial metabolism after deficiency of, 788
- Thiopental sodium**, laryngoscopy after anesthesia with, 295

- Thorax**, helpful guides in surgery of, 306
- Thrombin**, and platelets in acceleration of clotting, 334
- Thromboangiitis obliterans**  
Dibenzylamine for, 368  
Iliad for, 381  
serum albumin in, 95-97, 99  
serum globulin in, 95-97
- Thrombocytopenia**, and hemangioma in infants, 468
- Thromboembolic disease**, Dipaxin in, 687
- Thromboembolism**  
after dehydration in cardiac decompensation, 936  
and Dicumarol therapy during surgery, 213-219  
recurrent, and pulmonary arteriosclerosis due to, 343-360
- Thrombosis**  
intracardiac, in myocarditis, 754  
intravascular  
  bio-electric etiology of, 292  
  trypsin for, 331-336  
of left auricular appendage, 635  
spontaneous, of right internal carotid artery, 950  
venous, idiopathic, 578
- Thrombotic thrombocytopenic purpura**, 43-52  
vs. disseminated lupus erythematosus, 46
- Thrombus**,  
artificial, preformed, effect of intravenous trypsin on, 334  
bland platelet, vs. primary vascular lesion as anatomic basis of thrombotic thrombocytopenic purpura, 43-52  
mural, and bacterial endocarditis, 524-525  
plasmin in lysis of, 948
- Thyroid**  
in atherogenesis, 23-24  
and rate of regression of atherosclerosis, 597  
of hypercholesterolemia, 597
- Thyroxine**, aortic sclerosis due to, 609
- Tic**, of respiratory muscles, 940
- Tinnitus**, after cinchona alkaloids, 821
- Tissue**  
electric potential of, in etiology of intravascular thrombosis, 292  
normotensive, oxidative metabolism of, 296  
permeability of, in experimental atherosclerosis, 598  
serotonin in, 459  
vascular, radiolabeled uptake by, 595
- Tobacco**, electrocardiogram after smoking of, 138
- Toe**, familial clubbing of, 634
- Tolerance**, to prolonged ganglionic blockade, 887-894
- Tourniquet**  
leg  
  and cardiac output, 300  
  and kidney function, 300
- shock due to, effect of ferritin on mortality rates in, 470
- Toxemia of pregnancy**  
cerebral hemodynamics in, 631  
with hypertension  
  Apresoline in, 143  
  Arfonad in, 143  
  kidney hemodynamics in, 143  
  Protoveratrine in, 143, 144  
  spinal anesthesia in, 143  
  veratrum alkaloid in, 143, 144  
  and kidney circulation, 149  
  veratrum for, 454
- Toxicity**  
of Apresoline, 941  
due to chronic sodium chloride, 296  
of cinchona alkaloid for angina pectoris, 817, 820-821  
of digitalis, 931  
of 1-hydrazinophthalazine, 941  
of Neomycin, 59, 63  
of quinidine, fever as sign of, 631  
due to sodium chloride, 616  
of trypsin, 332
- Toxin**, alpha, of *Clostridium welchii* in determination of stability of serum lipoprotein, 31-40
- Transfusion**  
exchange, in hemolytic anemia with disseminated lupus erythematosus, 149  
intra-arterial, 456  
  for hemorrhagic shock, 473  
intravenous, for hemorrhagic shock, 473
- Trauma**  
aortic aneurysm due to, 824-827  
atrial rupture due to, 224  
and coronary thrombosis, 938
- Trichinosis**, myocarditis due to, 751
- Tricuspid valve**  
Ebstein's malformation of, 576  
insufficiency of, 461, 923
- Tromexan**  
vs. Dipaxin, 686, 687  
prothrombotic activity of, 688
- Trypsin**  
intravenous, 331-336  
  electrocardiogram after, 334, 338-342  
  pulmonary embolism complicating therapy with, 950
- T sE-loop**, in left ventricular hypertrophy, 731-732
- Tuberculosis**  
miliary, heart involvement in, 630  
pulmonary, in congenital heart disease, 618
- Tubule**  
potassium reabsorption by, 431  
potassium secretion by, 432  
sodium reabsorption by, 430
- Tumor**, of heart  
in infancy, 787  
primary, 787  
rupture associated with, 225  
of left atrium, 576
- Turbidity**, of serum, in determination of stability of serum lipoprotein, 31-40
- T vector**, spatial, repair variability of, 850-853
- T wave**  
abnormality of, in five thousand healthy adult males, 403-406  
in auricular fibrillation, 294  
in auricular flutter, 294  
as indicator of heart disorder, 402  
inversion of  
  in ischemic phase of myocardial infarction, 829-841  
  postprandial, 843-849  
  in myocarditis, 758, 759  
  in myocardial infarction, 929  
  standardization of, 569-570  
  after surgical correction  
    of coarctation of aorta, 875, 882  
    of patent ductus arteriosus, 880  
  after valvulotomy in pulmonary stenosis, 864-865, 867
- T<sub>p</sub> wave**, standardization of, 568
- Ulcer**  
due to impaired venous circulation, Dibenzylamine for, 370, 371  
peptic, and arteriosclerosis, 468
- Umbilical cord**, lipoprotein fractions in serum in, 14
- Urethra**, bleeding from, in malignant hypertension, 627
- Urine**  
citrate in, during potassium deficiency, 472  
serotonin in, 459  
sodium in, and blood pressure, 536-542  
specific gravity of, in congestive heart failure, 125
- Urobilinogen**, in thrombotic thrombocytopenic purpura, 48
- Urticaria**, after cinchona alkaloids, 821
- Vagal cardiovascular reflex**, control of during surgery, 455
- Vagotomy**, cervicothoracic, cardiovascular effects of, 463-464
- Valsalva maneuver**  
planigraphy in, 461  
venous blood flow during, 146
- Valve**  
aortic. *See* Aortic valve  
mitral. *See* Mitral valve  
pulmonary. *See* Pulmonary valve  
tricuspid. *See* Tricuspid valve  
venous, 442-443, 444
- Valvuloplasty**  
mitral, atrial electrokymogram after, 77  
open, for isolated valvular pulmonic stenosis, 161-171  
pulmonary, using mechanical heart for by-pass of right heart, 636
- Valvulotomy**  
electrocardiogram after, in pulmonary stenosis, 859-868

- mitral
  - anesthesia in management of, 463
  - and lobectomy, 789
- Varicose veins**, 442-449
- Varix**, esophageal, due to malformation of portal venous system, 936
- Vascular disease**
  - degenerative, serum polysaccharides in, 791
  - diabetic, high vegetable-fat diet in, 593
  - hypertensive
    - serum albumin in, 95-97
    - serum globulin in, 95-97
  - peripheral
    - and clearance of radioactive sodium from muscle, 469
    - dioxyl phosphate in, 455
- Vascular system**
  - collapse of, after subcutaneous hypertonic nonelectrolyte solution, 940
  - lesions of
    - due to deficient diets, 602
    - and sodium chloride toxicity, 616
  - peripheral, in regulation of blood flow, 665
  - pooling in, atropine-induced, 423-428
- Vascular tree**, pulmonary, pathology of, 801-807
- Vasodepressor material**, 514
- Vasodilatation**, due to atropine, 419
- Vasodilator**
  - cinchona alkaloids as, 819
  - coronary, clinical effectiveness of, 303
  - lilar as, 374-383
  - postulated, in medulla oblongata, 354
- Vasoexcitor material**, 514
- Vasopressin**, cardiovascular effects of, 941
- Vasopressor**, in cardiogenic shock, 84-92
- Vasospasm**, in extremities, lilar for, 382
- Vector**
  - manifest, and dipole eccentricity, 553-554
  - spatial, repeat variability of, 850-853
- Vectorcardiogram**
  - postprandial changes in, 846-847
  - spatial, in left ventricular hypertrophy, 728-734
- Vectorcardiograph**, standardization of, 570
- Vectorcardiography**
  - nomenclature, standardization of, 572
  - selection of views, standardization of, 572
  - spatial
    - direct experimental study, 101-112
    - Duchosal-Sulzer system of, 101-113
    - Grishman-Scherlis system of, 101-113
- Wilson tetrahedron system, 101-113
- spatial angle between long axis of QRS loop and longitudinal axis of ventricles, 777
- standardization of leads in, 564
- technics standardization of, 570-572
- Vegetable oil**, dietary, and atherosclerosis in rat, 592
- Vein**
  - blood flow in, 443-444
  - during Valsalva maneuver, 146
  - filling time of, 444, 446
  - insufficiency of, in lower extremity, 465
  - of limb, congestion of, in hypertensives before and after splanchnicectomy, 296
  - of lung
    - in calcific aortic stenosis, 806
    - in chronic left ventricular failure, 805
    - definition of, 802
    - in mitral stenosis, 807
    - normal, 806
    - in systemic hypertension, 806
  - of neck, in differential diagnosis, 923
  - pulmonary
    - aberrant, 618
    - acquired stenosis of, 576
    - stripping of, for primary varices, 447-448
  - valve in, 444
  - varicose, 442-449
- Vena cava**
  - inferior
    - induced congestion of, 299
    - occlusion of, and edema formation, 675-677
  - superior
    - induced congestion of, 299
    - rupture of aortic aneurysm into, 951
- Venesection**
  - for hypertension in acute glomerulonephritis, 118
  - for lung edema in acute glomerulonephritis, 117
- Venous pressure**, and edema formation, 676-677
- Venous system**, portal, esophageal varices due to malformation of, 936
- Ventricle**
  - arrhythmia of, neurogenic, 458
  - systole of, multiple episodes of, 306
  - and cardiac output, 665
  - contractility of, and carotid pressure, 736-740
  - depolarization potentials in, 137
  - duration of isometric contraction of, 777
  - fibrillation of
    - in hypothermic dog, 721-726
    - and potassium, 721-722, 723-726
    - prostimine inhibition of, 721-726
  - function curves of, after Aramine, 87, 89
- infarction of, 223
- interventricular defect of, and patent foramen ovale, 530
- left
  - ejection period of, and Q-T interval, 624
  - electrokymogram of, in myocardial infarction, 138
  - hypertrophy of, 929
  - lung changes due to failure of, 801-807
  - after myocardial infarction, 138
  - spatial vectorecardiogram in hypertrophy of, 728-734
  - subendocardial ischemia of, and coronary insufficiency, 293
  - work of, in sickle cell anemia 656, 659
- in mitral insufficiency and stenosis, 209
- right
  - failure of, in recurrent thromboembolism, 355
  - hypertrophy of, 929
  - pressure in, before and after valvuloplasty for isolated valvular pulmonic stenosis, 164-166, 170
  - rupture of, 221, 226
  - septal defect of, murmur in, 507
  - septum of, intact, with pulmonary stenosis, 576
  - spread of electrical activity through wall of, 294
  - staircase contracture of, 305
  - tachycardia of
    - diagnosis of, 924
    - ouabain-induced, 65-70
    - procaine amide for, 924
    - quinidine for, 924
- Ventricular gradient**, in myocardial infarction, 622
- Ventriculotomy**, for ventricular fibrillation, 723
- Veriloid**
  - carotid pressoreceptor response to, 454
  - for hypertensive phase of acute nephritis, 144
  - intramuscular, as hypotensive agent, 633
- Veratrum**
  - alkaloid of
    - for hypertension in acute glomerulonephritis, 118
    - and kidney hemodynamics in pregnancy with toxemia and hypertension, 143
  - derivative of, for hypertensive phase of acute nephritis, 144
  - for toxemia of pregnancy, 454
- Veratrum viride**, and cerebral hemodynamics in toxemia of pregnancy, 631
- Virus**
  - encephalomyocarditis, 751
  - myocarditis due to, 578, 751
- Vitamin K<sub>1</sub>**, and Dipaxin-induced hypoprothrombinemia, 687
- Vomiting**, after ouabain, 66
- Von Gierke's disease**, 927

**Water**

- diuresis, and spontaneous anti-diuresis, 470
- excretion of
  - in heart failure, 674-678
  - after hexamethonium for hypertension, 297
  - during induced congestion of vena cava, 299
  - after neohydrin, 634
  - after strophantin, 787
- in myocardium in experimental renal hypertension, 470
- replacement of, in cardiovascular-renal disease, 437-438
- retention of, Pitressin-induced excretion of urinary elec-

trolyte as function of, 147

- in skeletal muscle in experimental renal hypertension, 470

**Wilson tetrahedron system**, of vectorcardiography, 101-113

**Wolff-Parkinson-White syndrome**, 282-291, 776

- electrokymography in, 624
- in five thousand healthy adult males, 406
- as indicator of heart disorder, 402
- in one thousand young healthy aviators at ten year follow up, 387, 389-390
- procaine amide for, 634

**Work**, respiratory, in emphysema 794

**Wound**, due to gunshot, of aorta, 463

**Wrapping**, for aortic aneurysm, 948

**Xanthelasma**, in atherosclerosis, 790

**Xanthoma**, in atherosclerosis, 790

**Xanthomatosis**, primary essential serum albumin in, 95-97, 99 serum globulin in, 95-97, 99

**Zuckerkindl**, organs of, 295

